

Elkton Academy, Inc.

4490 County Road 13 S
Elkton, FL

1 Inspection Visit Since 2024 · 1 Finding

Most recent inspection: Jun 6, 2024

● 1 Important

Across 1 inspection since 2024, the issues cited most often were A Wading Pool, or Inflatable Water Slide with a Landing Area Where Water Collects, Was Used by Children in Care. CCF Handbook, Section 3.12, H

H.--Wading Pools, Including Inflatable Water Slides with a Landing Area Where Water, Collects, Are Prohibited. This Was Completed at the Time of the Inspection. Provider Turned Off and Drained Water During Inspection. The Hose Was Removed and the Structure Will Be Taken Down and No Longer Used. (1). The single finding was not critical.

Inspection Visits

Jun 6, 2024 1 Finding ● 1 Important

● **A Wading Pool, or Inflatable Water Slide with a Landing Area Where Water Collects, Was Used by Children in Care. CCF Handbook, Section 3.12, H**

H.--Wading Pools, Including Inflatable Water Slides with a Landing Area Where Water, Collects, Are Prohibited. This Was Completed at the Time of the Inspection. Provider Turned Off and Drained Water During Inspection. The Hose Was Removed and the Structure Will Be Taken Down and No Longer Used.

32-10 - Outdoor Equipment CCF Handbook, Section 3.12 CCF Handbook, Section 3.12 (Form

About this report

Childery generates this report from public inspection records published by the Florida Department of Children and Families, Office of Child Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Florida Department of Children and Families, Office of Child Care Regulation.