

CHILDREN FOR CHRIST ACADEMY

2637 Panola Road
Lithonia, GA

2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Apr 7, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Potential Hazards Were Accessible to Children on This Date: Classroom A -There Were Two Plastic Grocery Bags on a Shelf at the Front Left of the Classroom. -There Was a Dust Pan on the Floor Located at T (2), 591-1-1-.32(1) Requires the Center to Maintain the Required Staff:child Ratios as Follows: Under 1 Year or Under 18 Months if Not Walking = 1:6 (1), and 591-1-1-.26(6) Requires That Outdoor Equipment Be Free of Hazards Such as Lead-based Paint, Sharp Corners, Rust and Splinters. It Was Determined Based on Observation That the Swing Connectors of the Infant/toddler Bucket Swings at the Back Left of the Main Playground Was Rusted on This Date. (1). None of the 5 findings were critical.

Inspection Visits

Apr 7, 2026 2 Findings ● 2 Important

● **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Potential Hazards Were Accessible to Children on This Date: Classroom A -There Were Two Plastic Grocery Bags on a Shelf at the Front Left of the Classroom. -There Was a Dust Pan on the Floor Located at T**

591-1-1-.25

● **591-1-1-.32(1) Requires the Center to Maintain the Required Staff:child Ratios as Follows: Under 1 Year or Under 18 Months if Not Walking = 1:6**

591-1-1-.32

Dec 4, 2025 3 Findings ● 3 Important

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.10(1) Requires Centers First Licensed After March 1, 1991, and Centers That Are Renovated After March 1, 1991, to Provide Ventilation in the Diapering Areas with Functioning Exhaust Fans and a Duct System or by the Required Amount of Window Space Provided by Operable Windows When Open. It Was Determined Based on Observation That the Exhaust Fan in Classroom H Was Not in Working Order as R**

591-1-1-.10

- **591-1-1-.25(13) - Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. The Consultant and Provider Discussed Ensuring That Ziplock Bags with Plastic Sliders Remain Inaccessible to Children.**

591-1-1-.25

- **591-1-1-.26(6) Requires That Outdoor Equipment Be Free of Hazards Such as Lead-based Paint, Sharp Corners, Rust and Splinters. It Was Determined Based on Observation That the Swing Connectors of the Infant/toddler Bucket Swings at the Back Left of the Main Playground Was Rusted on This Date.**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.