

Fricks Teresa D

93 ADAMS CIRCLE
Silver Creek, GA

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Jan 30, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were 591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That the Mulch Measured 3 Inches on Two Sides of the "Rock Wall" Climber. Six Inches of Resilient Surfacing Is Required. (1), Center Menu Meets USDA Guidelines. Finding 591-1-1-.15(3) Requires Baby Bottles and Formula to Be Labeled with the Individual Child's Name (1), and 591-1-1-.21(3) Requires That the Center Conduct Drills for Fire, Tornado and Other Emergency Situations. The Fire Drills Will Be Conducted Monthly and Tornado and Other Emergency Situation Drills Will Be Conducted Every Six Months. The Center Shall Maintain Documentation of the Dates and Times of These Drills for Two Years. It Was Determined Based on Observation That the Center Did Not Conduct Loc (1). None of the 5 findings were critical.

Inspection Visits

Jan 30, 2026 5 Findings ● 5 Important

- **Director Provided One File for an Employee Hired Since Last Visit September 23, 2025. Georgia Department of Early Care and Learning Revision Date: 1/30/2026 2:45:44 PM Page 3 of 5 Finding 591-1-1-.09(1)(j) Requires That for Portability for Directors, Employees and Provisional Employees, Excluding Students-in-Training, Only the Most Recently Issued Determination Letter Is Eligible for Portability A**
591-1-1-.09
- **591-1-1-.14(1)(a) Requires All Staff Who Provide Direct Care to Children Must Obtain Certification in a Biennial Training Program in Pediatric Cardiopulmonary Resuscitation (CPR) and a Triennial Training Program in Pediatric First Aid Within the First 45 Days of Employment. Current and Valid Evidence of the Successful Completion of Such Training Shall Be Maintained on the Center's Premises. The Ho**
591-1-1-.14
- **Center Menu Meets USDA Guidelines. Finding 591-1-1-.15(3) Requires Baby Bottles and Formula to Be Labeled with the Individual Child's Name**
591-1-1-.15

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.21(3) Requires That the Center Conduct Drills for Fire, Tornado and Other Emergency Situations. The Fire Drills Will Be Conducted Monthly and Tornado and Other Emergency Situation Drills Will Be Conducted Every Six Months. The Center Shall Maintain Documentation of the Dates and Times of These Drills for Two Years. It Was Determined Based on Observation That the Center Did Not Conduct Loc**
591-1-1-.21
- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That the Mulch Measured 3 Inches on Two Sides of the "Rock Wall" Climber. Six Inches of Resilient Surfacing Is Required.**
591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.