

Creative Milestones Developmental Academy

2704 Centerville Hwy
Snellville, GA

1 Inspection Visit Since 2025 - 4 Findings

Most recent inspection: Jan 28, 2026

● 4 Important

Across 1 inspection since 2025, the issues cited most often were 591-1-1-.03(2) Requires the Center to Keep Current Lesson Plans on Site That Reflect Appropriate Instruction Practices and Activities to Support Children's Development The Center Shall Have Sufficient and Varied Play and Learning Equipment and Materials to Support the Above Program of Activities in All Developmental Areas. It Was Determined Based on Observation That the Room B Classroom Did Not Ha (1), 591-1-1-.19(1) Requires a Center to Provide 35 Square Feet of Usable Space per Child, Which Will Determine the Center's License Capacity. It Was Determined Based on Observation That There Were 11 Children in Room B with a Capacity for Eight. (1), and 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That Plastic Bags Were Observed to Be Accessible in the Room A 3-5years, Room B and Room C Classrooms Which Read "Keep Out of Reach of Children." Also, Room B Had a Back Pack with a First Aid Kit Accessible Along with Wipe (1). None of the 4 findings were critical.

Inspection Visits

Jul 8, 2025 4 Findings ● 4 Important

- **591-1-1-.03(2) Requires the Center to Keep Current Lesson Plans on Site That Reflect Appropriate Instruction Practices and Activities to Support Children's Development The Center Shall Have Sufficient and Varied Play and Learning Equipment and Materials to Support the Above Program of Activities in All Developmental Areas. It Was Determined Based on Observation That the Room B Classroom Did Not Ha**

591-1-1-.03

- **591-1-1-.19(1) Requires a Center to Provide 35 Square Feet of Usable Space per Child, Which Will Determine the Center's License Capacity. It Was Determined Based on Observation That There Were 11 Children in Room B with a Capacity for Eight.**

591-1-1-.19

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That Plastic Bags Were Observed to Be Accessible in the Room A 3-5years, Room B and Room C Classrooms Which Read "Keep Out of Reach of Children." Also, Room B Had a Back Pack with a First Aid Kit Accessible Along with Wipe**

591-1-1-.25

- **591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.