

Carter Ellen M

5892 Woodland Hwy
Talbotton, GA

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Feb 23, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were 290-2-3-.07(8)(a) Requires the Home to Maintain for the Provider and Any Provisional Employee or Employee with Direct Care Responsibilities Current Evidence of Successful Completion of a Biennial Training Program in Pediatric Cardiopulmonary Resuscitation (CPR) and a Triennial Training Program in Pediatric First Aid Which Have Been Offered by Certified or Licensed Health Care Professionals or Trai (3), 290-2-3-.08(8)(b) Requires That the Family Child Care Learning Home Have Policies and Procedures Which Shall Include Written Procedures for the Following: 1. Behavior Management and Discipline Techniques (1), and 290-2-3-.13(2)(c) Requires That Climbing and Swinging Equipment That Are Not Portable Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment, Which Is Adequately Maintained by the Home to Assure Continuing Resiliency. It Was Determined Based on Observation That the Swings Did Not Have an Adequate Fall Zone in That They Did Not Have the Adequate Space Between the Swing (1). None of the 5 findings were critical.

Inspection Visits

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

Feb 23, 2026 3 Findings ● 3 Important

- **290-2-3-.07(8)(a) Requires the Home to Maintain for the Provider and Any Provisional Employee or Employee with Direct Care Responsibilities Current Evidence of Successful Completion of a Biennial Training Program in Pediatric Cardiopulmonary Resuscitation (CPR) and a Triennial Training Program in Pediatric First Aid Which Have Been Offered by Certified or Licensed Health Care Professionals or Trai**
290-2-3-.07
- **290-2-3-.07(7)(a)-(j) Requires That the Provider, Employees and Provisional Employees with Direct Care Responsibilities Shall Complete Health and Safety Orientation Training Within the First 90 Days of Employment. The State-approved Training Hours Obtained Will Count Toward Required First Year Training Hours. The Training Must Address the Following Health and Safety Topics: (A) Prevention and Cont**
290-2-3-.07
- **290-2-3-.08(8)(b) Requires That the Family Child Care Learning Home Have Policies and Procedures Which Shall Include Written Procedures for the Following: 1. Behavior Management and Discipline Techniques**
290-2-3-.08

Aug 12, 2024 1 Finding ● 1 Important

- **290-2-3-.07(17) Requires at Least One Staff Person with a Satisfactory Comprehensive Records Check Determination Shall Supervise Children at All Times Appropriate to the Individual Age, Needs and Capabilities of Each Child. Such Supervision Must Include, but Not Be Limited To, Indoor and Outdoor Activities, Mealtimes, Naptime, Transportation, Field Trips, and Transitions Between Activities. "Super**
290-2-3-.07

May 7, 2024 1 Finding ● 1 Important

- **290-2-3-.13(2)(c) Requires That Climbing and Swinging Equipment That Are Not Portable Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment, Which Is Adequately Main-
tained by the Home to Assure Continuing Resiliency. It Was Determined Based on Observation That the Swings Did Not Have an Adequate Fall Zone in That They Did Not Have the Adequate Space Between the Swing**
290-2-3-.13

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.