

Hands on Learning Academy

126 Cecil Street
Thomasville, GA

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Jan 26, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were 591-1-1-.12(6) Requires That a Variety of Age-appropriate Toys and Play Materials Be Available, Stored on Low, Open Shelves Accessible to Children in Each Room or Assigned Area. It Was Determined Based on Observation That in Room B- 1L (School Age) There Were Not Enough Play Materials Available in the Library Area, Science Area, Math Area, and Music Area. Additionally, in C- Bk L (18 Mos - 24 Mos, (1), 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Cabinet Door to the Changing Table Was Unlocked with Lysol Wipes and a First Aid Kit Accessible to Children in A- Front (12 Mos -18 Mos) That Posed a Safety Hazard to Children. Additionally, in B-1L There Was a Ca (1), and 591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That the Blue and Red Jungle Jim Play Equipment Measured 6 Feet and a Half Inch in Height. Under the Equipment the Resilient Surface Measure (1). None of the 5 findings were critical.

Inspection Visits

Jan 26, 2026 3 Findings ● 3 Important

- **591-1-1-.12(6) Requires That a Variety of Age-appropriate Toys and Play Materials Be Available, Stored on Low, Open Shelves Accessible to Children in Each Room or Assigned Area. It Was Determined Based on Observation That in Room B- 1L (School Age) There Were Not Enough Play Materials Available in the Library Area, Science Area, Math Area, and Music Area. Additionally, in C- Bk L (18 Mos - 24 Mos,**
591-1-1-.12
- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Cabinet Door to the Changing Table Was Unlocked with Lysol Wipes and a First Aid Kit Accessible to Children in A- Front (12 Mos -18 Mos) That Posed a Safety Hazard to Children. Additionally, in B-1L There Was a Ca**
591-1-1-.25

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That the Blue and Red Jungle Jim Play Equipment Measured 6 Feet and a Half Inch in Height. Under the Equipment the Resilient Surface Measure**

591-1-1-.26

Jul 16, 2025 2 Findings ● 2 Important

- **591-1-1-.21(3) Requires That the Center Conduct Drills for Fire, Tornado and Other Emergency Situations. The Fire Drills Will Be Conducted Monthly and Tornado and Other Emergency Situation Drills Will Be Conducted Every Six Months. The Center Shall Maintain Documentation of the Dates and Times of These Drills for Two Years. It Was Determined Based on Observation That the Lockdown Drill Was Last Co**

591-1-1-.21

- **591-1-1-.30(1)(a)2 Requires That a Crib Mattress Is Firm, Tight-fitting Without Gaps, at Least 2 Inches Thick and Covered with a Waterproof, Washable Material. Before a Change of Occupant, Each Mattress Shall Be Cleaned with a Disinfectant. It Was Determined Based on Observation That in Room A -Front (12 Mos - 18 Mos) There Was One Crib Mattress Made of Cotton Fabric and One Crib Mattress That Was**

591-1-1-.30

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.