

Little Lambs Learning Center

8050 Highway 106 South
Hull, GA

1 Inspection Visit Since 2024 · 5 Findings

Most recent inspection: Jun 4, 2024

● 5 Important

Across 1 inspection since 2024, the issues cited most often were 591-1-1-.12(4) Requires That Equipment and Furniture Is Secured if It Is of a Weight or Mass That Could Cause Injury From Tipping, Falling, or Being Pulled or Pushed Over. It Was Determined Based Upon Observation That the Television on Top of the White Shelf Against the Back Wall Was Not Secured and Unstable Causing a Potential Tipping Hazard in Classroom C. (1), 591-1-1-.25(11) - The Consultant and the Provider Discussed Ensuring That the Flooring Is Tight and Smooth. (1), and 591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe (1). None of the 5 findings were critical.

Inspection Visits

Jun 4, 2024 5 Findings ● 5 Important

- **591-1-1-.12(4) Requires That Equipment and Furniture Is Secured if It Is of a Weight or Mass That Could Cause Injury From Tipping, Falling, or Being Pulled or Pushed Over. It Was Determined Based Upon Observation That the Television on Top of the White Shelf Against the Back Wall Was Not Secured and Unstable Causing a Potential Tipping Hazard in Classroom C.**

591-1-1-.12

- **591-1-1-.14(1) Requires the Center Director And, at Any Given Time, at Least Fifty Percent (50%) of the Caregiver Staff to Successfully Complete a Biennial Training Program in Cardiopulmonary Resuscitation (CPR) and a Triennial Training Program in First Aid. The First Aid Training Must Be Done by Certified or Licensed Health Care Professionals or Trainers and Must Deal with the Provision of Emerge**

591-1-1-.14

- **591-1-1-.17(2) - The Consultant and Provider Discussed Ensuring That Children Are Kept Clean, Dry, and Comfortable.**

591-1-1-.17

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.25(11) - The Consultant and the Provider Discussed Ensuring That the Flooring Is Tight and Smooth.**

591-1-1-.25

- **591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.