

New Legacy Montessori School

2126 Edgewater Dr
Albany, GA

2 Inspection Visits Since 2026 - 4 Findings

Most recent inspection: May 14, 2026

● 4 Important

Across 2 inspections since 2026, the issues cited most often were 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Were Accessible to Children Posing a Safety Hazard: C: A3 Threes - One Glass Bowl, a Glass Mirror, and One Glass Vase on Top of a White Table in the Right Back Corner of the Room. H: C1 Twos/Threes - A R (1), 591-1-1-.14(2)(b) Requires That There Must Always Be One Staff Person Present in Each Classroom Where Children Are Present That Has Current and Valid Pediatric Cardiopulmonary Resuscitation (CPR) and Pediatric First Aid Training. It Was Determined Based on Observation That Staff #2 Was Observed Working Alone in H: C1 Twos/Threes Without Having a Current First Aid and CPR Certification on File. (1), and 591-1-1-.32(4) Requires That Children Under Three Years Old Be Housed in Separate Physical Areas From Older Children and Cannot Be Mixed with Older Children Except at Specified Times and circumstances. It Was Determined Based on Observation That in H: C1 Twos/Threes There Were Five 2-year-olds Mixed with One 4-year- Old Posing a Safety Hazard. (1). None of the 4 findings were critical.

Inspection Visits

May 14, 2026 3 Findings ● 3 Important

- **591-1-1-.14(2)(b) Requires That There Must Always Be One Staff Person Present in Each Classroom Where Children Are Present That Has Current and Valid Pediatric Cardiopulmonary Resuscitation (CPR) and Pediatric First Aid Training. It Was Determined Based on Observation That Staff #2 Was Observed Working Alone in H: C1 Twos/Threes Without Having a Current First Aid and CPR Certification on File.**
591-1-1-.14
- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Were Accessible to Children Posing a Safety Hazard: C: A3 Threes - One Glass Bowl, a Glass Mirror, and One Glass Vase on Top of a White Table in the Right Back Corner of the Room. H: C1 Twos/Threes - A R**
591-1-1-.25

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.32(4) Requires That Children Under Three Years Old Be Housed in Separate Physical Areas From Older Children and Cannot Be Mixed with Older Children Except at Specified Times and circumstances.It Was Determined Based on Observation That in H: C1 Twos/Threes There Were Five 2-year-olds Mixed with One 4-year- Old Posing a Safety Hazard.**

591-1-1-.32

Feb 26, 2026 1 Finding ● 1 Important

- **591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.