

Kid's Ville

197 Singleton Street
Camilla, GA

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Apr 1, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were 591-1-1-.21(1)(a-o) Requires the Center to Establish and Implement Written Policies and Procedures That Describe the Center's Operations as Follows: A) Services to Be Provided, Ages of Children Served, Days and Times of Operations and Days and Times Closed (1), 591-1-1-.32(4) Requires That Children Under Three Years Old Be Housed in Separate Physical Areas From Older Children and Cannot Be Mixed with Older Children Except at Specified Times and Circumstances. It Was Determined Based on Observation Main C- All Ages (Garage) Had Two 2-year-olds in the Room with One 4-year- Old. (1), and 591-1-1-.19(1) Requires a Center to Provide 35 Square Feet of Usable Space per Child, Which Will Determine the Center's License Capacity. It Was Determined Based on Observation That C- All Ages(garage) Had a Capacity of 8 and There Were Five 1-year-olds and Six 2-year-olds in the Room. (1). None of the 5 findings were critical.

Inspection Visits

Apr 1, 2026 2 Findings ● 2 Important

- **591-1-1-.21(1)(a-o) Requires the Center to Establish and Implement Written Policies and Procedures That Describe the Center's Operations as Follows: A) Services to Be Provided, Ages of Children Served, Days and Times of Operations and Days and Times Closed**

591-1-1-.21

- **591-1-1-.32(4) Requires That Children Under Three Years Old Be Housed in Separate Physical Areas From Older Children and Cannot Be Mixed with Older Children Except at Specified Times and Circumstances. It Was Determined Based on Observation Main C- All Ages (Garage) Had Two 2-year-olds in the Room with One 4-year- Old.**

591-1-1-.32

Oct 28, 2025 3 Findings ● 3 Important

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.10(4) Requires That if Diapers Are Changed on a Diaper Changing Surface, the Surface Shall Be Smooth, Nonporous, and Equipped with a Guard or Rails to Prevent Falls. Between Each Diaper Change, the Diaper Changing Surface Shall Be Cleaned with a Disinfectant and Dried with a Single-use Disposable Towel. It Was Determined Based on Observation That the White Changing Pad in A- Infants- 3 Yr**

591-1-1-.10

- **591-1-1-.19(1) Requires a Center to Provide 35 Square Feet of Usable Space per Child, Which Will Determine the Center's License Capacity. It Was Determined Based on Observation That C- All Ages(garage) Had a Capacity of 8 and There Were Five 1-year-olds and Six 2-year-olds in the Room.**

591-1-1-.19

- **591-1-1-.26(9) Requires the Playground to Be Kept Clean, Free From Litter and Free of Hazards, Such as but Not Limited to Rocks, Exposed Tree Roots and Exposed Sharp Edges of Concrete. It Was Determined Based on Observation That the Following Were Accessible to Children and Posed a Safety and Entrapment Hazard to Children on the Playground: - Leaves and Limbs Throughout. - The Backside on the Righ**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.