

INtrinsic Scholars Academy

3492 Acworth Due West Road
Kennesaw, GA

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Apr 17, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were 591-1-1-17(7) Requires That Children Wash Their Hands with Liquid Soap and Warm Running Water Upon Arrival for Care, When Moving From One Child Care Group to Another, Upon Re-entering the Child Care Area After Outside Play, Before and After Eating Meals and Snacks, Handling or Touching Food, Playing in Water (1), 591-1-1-.19(1) Requires a Center to Provide 35 Square Feet of Usable Space per Child, Which Will Determine the Center's License Capacity. It Was Determined Based on Observation That There Were 25 Children in Room E-1R That Was Licensed for 21 Children. (1), and Evidence Observed of 50% of Center Staff Certified in First Aid and CPR. Finding 591-1-1-.14(2)(b) Requires That There Must Always Be One Staff Person Present in Each Classroom Where Children Are Present That Has Current and Valid Pediatric Cardiopulmonary Resuscitation (CPR) and Pediatric First Aid Training. It Was Determined Based on Observation and Review of Records That There Were Two Staff In (1). None of the 5 findings were critical.

Inspection Visits

Apr 17, 2026 1 Finding ● 1 Important

- **591-1-1-17(7) Requires That Children Wash Their Hands with Liquid Soap and Warm Running Water Upon Arrival for Care, When Moving From One Child Care Group to Another, Upon Re-entering the Child Care Area After Outside Play, Before and After Eating Meals and Snacks, Handling or Touching Food, Playing in Water**
591-1-1-.17

Dec 18, 2025 4 Findings ● 4 Important

- **Evidence Observed of 50% of Center Staff Certified in First Aid and CPR. Finding 591-1-1-.14(2)(b) Requires That There Must Always Be One Staff Person Present in Each Classroom Where Children Are Present That Has Current and Valid Pediatric Cardiopulmonary Resuscitation (CPR) and Pediatric First Aid Training. It Was Determined Based on Observation and Review of Records That There Were Two Staff In**
591-1-1-.14

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.19(1) Requires a Center to Provide 35 Square Feet of Usable Space per Child, Which Will Determine the Center's License Capacity. It Was Determined Based on Observation That There Were 25 Children in Room E-1R That Was Licensed for 21 Children.**

591-1-1-.19

- **Staff Observed to Be Compliant with Applicable Laws and Regulations. Finding 591-1-1-.31(1)(b)2 Requires the Director to Possess at Least One of the Sets of Minimum Academic Requirements and Qualifying Child Care Experience Listed in Rule 591-1-1-.31(1)(b)2.(i-xiii). It Was Determined Based on Review of Records That the Director Had No Evidence of One of the Minimum Educational Requirements for Th**

591-1-1-.31

- **591-1-1-.33(1) Requires All Employees and Provisional Employees to Receive Initial Center Orientation Prior to Assignment to Children or Task. It Was Determined Based on Review of Records That Five Staff Did Not Have Evidence of Initial Staff Orientation on File.**

591-1-1-.33

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.