

Learning Train Academy

112 East 9th Ave.
Colbert, GA

2 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Jan 27, 2026

● 4 Important

Across 2 inspections since 2024, the issues cited most often were 591-1-1-.25(11) Requires That Floor Coverings Be Tight, Smooth, Free of Odors and Washable or Cleanable. It Was Determined Based on Observation That There Were Cracked and Broken Tiles in the Back, Right Corner in Classroom A/Front.. (1), 591-1-1-.09(1)(j) Requires That for Portability for Directors, Employees and Provisional Employees, Excluding Students-in-Training, Only the Most Recently Issued Determination Letter Is Eligible for Portability and Must Be Ported Electronically. A Center May Accept a Satisfactory Fingerprint Records Check Determination Letter or a Satisfactory Comprehensive Records Check Determination Letter Issue (1), and 591-1-1-.14(2)(b) Requires That There Must Always Be One Staff Person Present in Each Classroom Where Children Are Present That Has Current and Valid Pediatric Cardiopulmonary Resuscitation (CPR) and Pediatric First Aid Training. It Was Determined Based on Review of Records That Staff #4's, Hire Date September 30, 2024, First aid/CPR Certification Expired January 17, 2026. (1). None of the 4 findings were critical.

Inspection Visits

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

Jan 27, 2026 3 Findings ● 3 Important

- **591-1-1-.09(1)(j) Requires That for Portability for Directors, Employees and Provisional Employees, Excluding Students-in-Training, Only the Most Recently Issued Determination Letter Is Eligible for Portability and Must Be Ported Electronically. A Center May Accept a Satisfactory Fingerprint Records Check Determination Letter or a Satisfactory Comprehensive Records Check Determination Letter Issue**
591-1-1-.09
- **591-1-1-.14(2)(b) Requires That There Must Always Be One Staff Person Present in Each Classroom Where Children Are Present That Has Current and Valid Pediatric Cardiopulmonary Resuscitation (CPR) and Pediatric First Aid Training. It Was Determined Based on Review of Records That Staff #4's, Hire Date September 30, 2024, First aid/CPR Certification Expired January 17, 2026.**
591-1-1-.14
- **591-1-1-.25(11) Requires That Floor Coverings Be Tight, Smooth, Free of Odors and Washable or Cleanable. It Was Determined Based on Observation That There Were Cracked and Broken Tiles in the Back, Right Corner in Classroom A/Front..**
591-1-1-.25

Dec 9, 2024 1 Finding ● 1 Important

- **591-1-1-.21(3) Requires That the Center Conduct Drills for Fire, Tornado and Other Emergency Situations. The Fire Drills Will Be Conducted Monthly and Tornado and Other Emergency Situation Drills Will Be Conducted Every Six Months. The Center Shall Maintain Documentation of the Dates and Times of These Drills for Two Years. It Was Determined Based on Review of Records, Tornado Drills Were Not Docu**
591-1-1-.21

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.