

Creative Kidz Korner

205 Simpson St.
Washington, GA

1 Inspection Visit Since 2026 · 4 Findings

Most recent inspection: Mar 10, 2026

● 4 Important

Across 1 inspection since 2026, the issues cited most often were 591-1-1-.06(1) Requires the Center to Provide a Specified Minimum Number of Flush Toilets and Hand Washing Sinks with Running Water for the Use of All Children, at Least One Flush Toilet for Children Being Potty-trained and to Not Substitute Nursery Potty Chairs for a Required Flush Toilet. It Was Determined Based on Observation That the Toilet in the First Stall Did Not Properly Flush in First Le (1), 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Hazards Were Accessible to Children: 1L Classroom: - There Was a Pair of Scissors and a Black Sharper in an Unlocked Drawer Under the Handwashing Sink. 2R Classroom: - An Airwick Air Freshener Plug-in PI (1), and 591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe (1). None of the 4 findings were critical.

Inspection Visits

Mar 10, 2026 4 Findings ● 4 Important

- **591-1-1-.06(1) Requires the Center to Provide a Specified Minimum Number of Flush Toilets and Hand Washing Sinks with Running Water for the Use of All Children, at Least One Flush Toilet for Children Being Potty-trained and to Not Substitute Nursery Potty Chairs for a Required Flush Toilet. It Was Determined Based on Observation That the Toilet in the First Stall Did Not Properly Flush in First Le**
591-1-1-.06
- **591-1-1-.11(1) Requires That Disciplinary Actions Used to Correct a Child's Behavior, Guidance Tech- niques and Any Activities in Which the Children Participate or Observe at the Center Shall Not Be Detrimental to the Physical or Mental Health of Any Child. It Was Determined Based on a Staff Statement That Children in the Three Year Old Classroom Were to Sit at a Table with Their Heads Down as a For**
591-1-1-.11

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Hazards Were Accessible to Children: 1L Classroom: - There Was a Pair of Scissors and a Black Sharper in an Unlocked Drawer Under the Handwashing Sink. 2R Classroom: - An Airwick Air Freshener Plug-in PI**

591-1-1-.25

- **591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.