

# Active Learning Academy

1477 Westwood Avenue S.W.  
Atlanta, GA

## 4 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Apr 21, 2026

● 5 Important

Across 4 inspections since 2024, the issues cited most often were Please Be Mindful to Keep Items That Pose a Hazard Inaccessible to Children. Comment Please Secure Cleaning Tools (I.e., Broom, Plunger) Out of Reach of Children. Finding 591-1-1-.25(12) Requires Heating and Cooling Equipment to Be Protected to Prevent Children From Touching It. Fans, Space Heaters, Etc. Shall Be Positioned or Installed So as to Be Inaccessible to the Children. It Was Determined B (2), 591-1-1-.30(1)(b)1 Requires That Cots and Mats Are of Sound Construction and of Sufficient Size to Accommodate Comfortably the Size and Weight of the Child (1), and Center Menu Meets USDA Guidelines. Comment Please Ensure That Bottles Are Covered and Fully Labeled with Child's Full Name. Finding 591-1-1-.15(2) Requires That a Signed Written Feeding Plan for Children Less Than One (1) Year of Age Shall Be Obtained From Parent(s) and That Instructions From the Parent(s) Shall Be Updated Regularly as New Foods Are Added or Other Dietary Changes Are Made. The Fee (1). None of the 5 findings were critical.

## Inspection Visits

**Apr 21, 2026** 1 Finding ● 1 Important

- **Please Be Mindful to Keep Items That Pose a Hazard Inaccessible to Children. Comment Please Secure Cleaning Tools (I.e., Broom, Plunger) Out of Reach of Children. Finding 591-1-1-.25(12) Requires Heating and Cooling Equipment to Be Protected to Prevent Children From Touching It. Fans, Space Heaters, Etc. Shall Be Positioned or Installed So as to Be Inaccessible to the Children. It Was Determined B**  
591-1-1-.25

**Dec 10, 2025** 2 Findings ● 2 Important

- **591-1-1-.25(10) Requires the Center to Be in Compliance with Applicable Laws and Regulations Issued by the State Fire Marshal, the Proper Local Fire Marshal or State Inspector, Including a Certificate of Occupancy if Required Prior to Receiving Any Children for Care. It Was Determined Based on Observation That the Fire Extinguisher in A Front Room Near the Back Wall in the Block Area Was Not Charg**  
591-1-1-.25

### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.30(1)(b)1 Requires That Cots and Mats Are of Sound Construction and of Sufficient Size to Accommodate Comfortably the Size and Weight of the Child**

591-1-1-.30

**May 21, 2025** 1 Finding ● 1 Important

- **Center Menu Meets USDA Guidelines. Comment Please Ensure That Bottles Are Covered and Fully Labeled with Child's Full Name. Finding 591-1-1-.15(2) Requires That a Signed Written Feeding Plan for Children Less Than One (1) Year of Age Shall Be Obtained From Parent(s) and That Instructions From the Parent(s) Shall Be Updated Regularly as New Foods Are Added or Other Dietary Changes Are Made. The Fee**

591-1-1-.15

**Jun 10, 2024** 1 Finding ● 1 Important

- **591-1-1-.19(1) Requires a Center to Provide 35 Square Feet of Usable Space per Child, Which Will Determine the Center's License Capacity. It Was Determined Based on Observation That the Center Had a Total of 45 Children Present When the Allowed Usable Space per Child Capacity Is 32 in Room A-Front Room. .**

591-1-1-.19

#### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.