

Ivy League Academy

5990 Bethelview Rd.
Cumming, GA

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Dec 1, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were 591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe (2), 591-1-1-.12(2) Requires That All Equipment and Furniture Be Free From Hazardous Conditions Such As, but Not Limited To, Sharp Rough Edges or Toxic Paint (1), and Please Secure Cleaning Tools (I.e., Broom, Vaccums) Out of Reach of Children. Technical Assistance 591-1-1-.25(13) - Consultant Discussed with the Director to Ensure That All Hazardous Items And/or Equipment (I.e., Antibacterial Wipes,plastic Bag, Diaper Wipes, Etc.) Are Stored in a Locked Cabinet And/or Container Inaccessible to Children at All Times. Consultant Further Discussed with Director Ob (1). None of the 5 findings were critical.

Inspection Visits

Dec 1, 2025 1 Finding ● 1 Important

- **591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe**

591-1-1-.26

Jan 6, 2025 4 Findings ● 4 Important

- **Please Ensure That Staff Members Immediately Wash Their Hands and Children's Hands Upon Completing the Diapering Procedures Finding 591-1-1-.10(1) Requires Centers First Licensed After March 1, 1991, and Centers That Are Renovated After March 1, 1991, to Provide Ventilation in the Diapering Areas with Functioning Exhaust Fans and a Duct System or by the Required Amount of Window Space Provided By**

591-1-1-.10

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.12(2) Requires That All Equipment and Furniture Be Free From Hazardous Conditions Such As, but Not Limited To, Sharp Rough Edges or Toxic Paint**

591-1-1-.12

- **Please Secure Cleaning Tools (I.e., Broom, Vaccums) Out of Reach of Children. Technical Assistance 591-1-1-.25(13) - Consultant Discussed with the Director to Ensure That All Hazardous Items And/or Equipment (I.e., Antibacterial Wipes,plastic Bag, Diaper Wipes, Etc.) Are Stored in a Locked Cabinet And/or Container Inaccessible to Children at All Times. Consultant Further Discussed with Director Ob**

591-1-1-.25

- **591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.