

Montessori At Brookstone

1680 Brookstone Walk
Acworth, GA

2 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: Nov 5, 2024

● 3 Important

Across 2 inspections since 2024, the issues cited most often were Director Provided One File for Employees Hired Since Last Visit on June 4, 2024. Finding 591-1-1-.09(1)(c) Requires the Center to Ensure That Every Employee Has a Valid and Current Satisfactory Comprehensive Records Check Determination on File Prior to Being Present at the Center While Any Child Is Present for Care or Before an Individual Age 17 or Older Resides in the Center. The Comprehensive Re (1), Associated with Complaint 591-1-1-.32(7) Requires That Children Be Supervised at All Times Appropriate to the Individual Age, Needs and Capabilities of Each Child. Such Supervision Must Include, but Not Be Limited To, Indoor and Outdoor Activities, Mealtimes, Naptime, Transportation, Field Trips, and Transitions Between Activities. "Supervision" Means That the Appropriate Number of Staff Members A (1), and 591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That the Green Climbing Equipment on the Playground That Measures Over Five Feet Tall Only Had One Inch of Resilient Surfacing in the Fall Zo (1). None of the 3 findings were critical.

Inspection Visits

Nov 5, 2024 1 Finding ● 1 Important

- **Director Provided One File for Employees Hired Since Last Visit on June 4, 2024. Finding 591-1-1-.09(1)(c) Requires the Center to Ensure That Every Employee Has a Valid and Current Satisfactory Comprehensive Records Check Determination on File Prior to Being Present at the Center While Any Child Is Present for Care or Before an Individual Age 17 or Older Resides in the Center. The Comprehensive Re**
591-1-1-.09

Jun 4, 2024 2 Findings ● 2 Important

- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That the Green Climbing Equipment on the Playground That Measures Over Five Feet Tall Only Had One Inch of Resilient Surfacing in the Fall Zo**
591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **Associated with Complaint 591-1-1-.32(7) Requires That Children Be Supervised at All Times Appropriate to the Individual Age, Needs and Capabilities of Each Child. Such Supervision Must Include, but Not Be Limited To, Indoor and Outdoor Activities, Mealtimes, Naptime, Transportation, Field Trips, and Transitions Between Activities. "Supervision" Means That the Appropriate Number of Staff Members A**
591-1-1-.32

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.