

Mcclendon Temeke

579 HOWELL ST
Blakely, GA

3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Apr 27, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were 290-2-3-.13(2)(a) Requires That Outdoor Play Areas Be Kept Clean and Free of Hazards Such as Exposed Sharp Corners of Concrete or Equipment, Rust and Splinters on Equipment, Broken Glass, Open Drainage Ditches, Holes and Stagnant Water. It Was Determined Based on Observation the Proved Had a Fire Pit on the Walkway to the Playground Accessible to Children Posing a Hazard. (3) and 290-2-3-.08(12) Requires That Documentation for the Care of Related Children in the Home, Other Than the Providers Own Children, Include a Notarized Statement of Family Relationships by the Parent(s). It Was Determined That Based on a Review of Records the Provider Did Not Have Evidence of a Notarized Statement for Three Out of Five Children on File as Required. (2). None of the 5 findings were critical.

Inspection Visits

Apr 27, 2026 2 Findings ● 2 Important

- **290-2-3-.08(12) Requires That Documentation for the Care of Related Children in the Home, Other Than the Providers Own Children, Include a Notarized Statement of Family Relationships by the Parent(s). It Was Determined That Based on a Review of Records the Provider Did Not Have Evidence of a Notarized Statement for Three Out of Five Children on File as Required.**

290-2-3-.08

- **290-2-3-.13(2)(a) Requires That Outdoor Play Areas Be Kept Clean and Free of Hazards Such as Exposed Sharp Corners of Concrete or Equipment, Rust and Splinters on Equipment, Broken Glass, Open Drainage Ditches, Holes and Stagnant Water. It Was Determined Based on Observation the Proved Had a Fire Pit on the Walkway to the Playground Accessible to Children Posing a Hazard.**

290-2-3-.13

Oct 20, 2025 1 Finding ● 1 Important

- **290-2-3-.08(2) Requires the Home to Maintain a File for Each Child That Includes Evidence of Age-appropriate Immunizations or a Signed Affidavit Against Such Immunizations**

290-2-3-.08

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

Feb 3, 2025 2 Findings ● 2 Important

- **290-2-3-.13(1) Requires That the Home Be Clean and Free From Hazards. It Was Determined Based on Observation That the Home Had a Pipe Burst. There Were Pieces of Wood Trim on the Floor in the Kitchen with Nails Protruding Out. Additionally, in the Living Room the Walls Had the Drywall Exposed.**

290-2-3-.13

- **290-2-3-.13(2)(a) Requires That Outdoor Play Areas Be Kept Clean and Free of Hazards Such as Exposed Sharp Corners of Concrete or Equipment, Rust and Splinters on Equipment, Broken Glass, Open Drainage Ditches, Holes and Stagnant Water. It Was Determined Based on Observation That the Playground Had Leaves Throughout.**

290-2-3-.13

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.