

Cokes Chapel Childcare Center

4096 Lower Fayetteville Rd.
Sharpsburg, GA

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Feb 10, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were 591-1-1-.12(2) Requires That All Equipment and Furniture Be Free From Hazardous Conditions Such As, but Not Limited To, Sharp Rough Edges or Toxic Paint (2), 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Classrooms Had Hazards Accessible to Children in Care: Chapel- In One Unlocked Black Metal Cabinets There Were Spray Bottles of Disinfectant Spray Cleaners and Hand Sanitizer. E- Dark Blue Room- Under Th (2), and 591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe (1). None of the 5 findings were critical.

Inspection Visits

Feb 10, 2026 3 Findings ● 3 Important

- **591-1-1-.12(2) Requires That All Equipment and Furniture Be Free From Hazardous Conditions Such As, but Not Limited To, Sharp Rough Edges or Toxic Paint**
591-1-1-.12

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Classrooms Had Hazards Accessible to Children in Care: Chapel- In One Unlocked Black Metal Cabinets There Were Spray Bottles of Disinfectant Spray Cleaners and Hand Sanitizer. E- Dark Blue Room- Under Th**
591-1-1-.25

- **591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe**
591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

Jul 31, 2025 2 Findings ● 2 Important

- **591-1-1-.12(2) Requires That All Equipment and Furniture Be Free From Hazardous Conditions Such As, but Not Limited To, Sharp Rough Edges or Toxic Paint**
591-1-1-.12

- **Please Secure Cleaning Tools (I.e., Broom, Plunger) Out of Reach of Children. Finding 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Classrooms Had Hazards Accessible to Children in Care: Chapel- In Two Unlocked Black Metal Cabinets There Were Spray**
591-1-1-.25

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.