

Hymon Jobreia M.

20 Jasmine Court
Savannah, GA

2 Inspection Visits Since 2025 - 4 Findings

Most recent inspection: Mar 5, 2026

● 4 Important

Across 2 inspections since 2025, the issues cited most often were 290-2-3-.13(2)(a) Requires That Outdoor Play Areas Be Kept Clean and Free of Hazards Such as Exposed Sharp Corners of Concrete or Equipment, Rust and Splinters on Equipment, Broken Glass, Open Drainage Ditches, Holes and Stagnant Water. It Was Determined Based on Observation That the Following Hazards Were Accessible to Children on the Playground: - An Adult Bike - A Mop - A Broken Half of a Hula (3) and 290-2-3-.19(1)(a)3 Requires That Each Crib and Other Equipment Approved for Infant Sleep Shall Have Only an Individual, Tight-fitting Sheet Which Is Changed Daily or More Often as Needed and Prior to a Change of Occupant. It Was Determined Based on Observation That the Two Infant Play Yard Mattresses Did Not Have a Tight Fitted Crib Sheet That Is Changed Daily or More as Required. (1). None of the 4 findings were critical.

Inspection Visits

Mar 5, 2026 2 Findings ● 2 Important

- **290-2-3-.13(2)(a) Requires That Outdoor Play Areas Be Kept Clean and Free of Hazards Such as Exposed Sharp Corners of Concrete or Equipment, Rust and Splinters on Equipment, Broken Glass, Open Drainage Ditches, Holes and Stagnant Water. It Was Determined Based on Observation That the Following Hazards Were Accessible to Children on the Playground: - An Adult Bike - A Mop - A Broken Half of a Hula**

290-2-3-.13

- **290-2-3-.19(1)(a)3 Requires That Each Crib and Other Equipment Approved for Infant Sleep Shall Have Only an Individual, Tight-fitting Sheet Which Is Changed Daily or More Often as Needed and Prior to a Change of Occupant. It Was Determined Based on Observation That the Two Infant Play Yard Mattresses Did Not Have a Tight Fitted Crib Sheet That Is Changed Daily or More as Required.**

290-2-3-.19

Mar 25, 2025 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **290-2-3-.13(1) Requires That the Home Be Clean and Free From Hazards. It Was Determined Based on Observation on the Ceiling in the Main Play Area, One Air Conditioner / Heating Vent Was Missing and One Vent Was Broken and Hanging Making This Hazardous to the Children.**

290-2-3-.13

- **290-2-3-.13(2)(a) Requires That Outdoor Play Areas Be Kept Clean and Free of Hazards Such as Exposed Sharp Corners of Concrete or Equipment, Rust and Splinters on Equipment, Broken Glass, Open Drainage Ditches, Holes and Stagnant Water. It Was Determined Based on Observation That the Following Items Were Considered Hazardous: -Exposed Concrete to the Right of the Porch -High Grassy Area Unkempt Ar**

290-2-3-.13

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.