

## Kids Express Learning Academy

1321 Radium Springs Road  
Albany, GA

### 3 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Feb 18, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were 591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That the Mulch Liner Located at the Far Right Side of the Jungle Gym Was Exposed in Three Places Posing a Tripping Hazard. (2), 591-1-1-.08(6) Requires the Center to Maintain Records of a Child's Daily Arrival and Departure for the Twelve (12) Preceding Months That the Parent or Person(s) Authorized by the Parent Documents, in Written or Electronic Format, Each Time the Parent or Authorized Person Drops Off and Picks Up the Child. The Documentation Shall Include at Least the Date, the Child's Name, the Arrival and Departur (1), and 591-1-1-.06(4) Requires a Center First Licensed After March 1, 1991, and Centers That Remodel or Add to Existing Plumbing Facilities, to Have the Bathroom Area Fully Enclosed and Ventilated to the Outside of the Building with Either an Open Screened Window or Functioning Exhaust Fan and Duct System and Requires Centers Without Fully Enclosed Bathrooms to Ensure There Is Adequate Ventilation to Con (1). None of the 5 findings were critical.

### Inspection Visits

**Feb 18, 2026** 1 Finding ● 1 Important

- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That the Mulch Liner Located at the Far Right Side of the Jungle Gym Was Exposed in Three Places Posing a Tripping Hazard.**

591-1-1-.26

**Sep 18, 2025** 3 Findings ● 3 Important

- **591-1-1-.06(4) Requires a Center First Licensed After March 1, 1991, and Centers That Remodel or Add to Existing Plumbing Facilities, to Have the Bathroom Area Fully Enclosed and Ventilated to the Outside of the Building with Either an Open Screened Window or Functioning Exhaust Fan and Duct System and Requires Centers Without Fully Enclosed Bathrooms to Ensure There Is Adequate Ventilation to Con**

591-1-1-.06

#### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.08(6) Requires the Center to Maintain Records of a Child's Daily Arrival and Departure for the Twelve (12) Preceding Months That the Parent or Person(s) Authorized by the Parent Documents, in Written or Electronic Format, Each Time the Parent or Authorized Person Drops Off and Picks Up the Child. The Documentation Shall Include at Least the Date, the Child's Name, the Arrival and Departur**  
591-1-1-.08

- **591-1-1-.15(5) Requires That the Center Provide a Menu Listing All Meals and Snacks to Be Served During the Current Week Except for School-age Centers Where the Food May Be Provided by the Parent(s) by Agreement Between the School-age Center and the Parent(s). Substitutions Shall Be Recorded on the Posted Menu and Menus Shall Be Retained at the Center for Six (6) Months. It Was Determined Based On**  
591-1-1-.15

**Aug 20, 2024** 1 Finding ● 1 Important

- **591-1-1-.26(6) Requires That Playground Equipment Provide an Opportunity for the Children to Engage in a Variety of Experiences and Shall Be Age-appropriate. For Example, Toddlers Shall Not Be Permitted to Swing in Swings Designed for School-age Children. The Outdoor Equipment Shall Be Free of Lead-based Paint, Sharp Corners and Shall Be Regularly Maintained in Such a Way as to Be Free of Rust And**  
591-1-1-.26

### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.