

Allen Cristina E

3575 Ga Hwy 188
Ochlocknee, GA

1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Jul 15, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were 290-2-3-.08(2) Requires the Home to Maintain a File for Each Child That Includes Evidence of Age-appropriate Immunizations or a Signed Affidavit Against Such Immunizations (1), 290-2-3-.11(2)(c) Requires That Documentation of Drills Required by These Rules Shall Be Maintained in the Home. The Home Shall Conduct Drills for Fire, Tornado, and Other Emergency Situations. The Fire Drills Will Be Conducted Monthly and Tornado and Other Emergency Situation Drills Will Be Conducted Every Six Months. The Home Shall Maintain Documentation of the Dates and Times of These Drills Fo (1), and 290-2-3-.13(2)(a) Requires That Outdoor Play Areas Be Kept Clean and Free of Hazards Such as Exposed Sharp Corners of Concrete or Equipment, Rust and Splinters on Equipment, Broken Glass, Open Drainage Ditches, Holes and Stagnant Water. It Was Determined Based on Observation That the Following Hazards Were Found on the Playground Accessible to Children, Which Posed a Hazard: - A Red Water Hose Run (1). None of the 5 findings were critical.

Inspection Visits

Jul 15, 2025 5 Findings ● 5 Important

- **290-2-3-.04 (1)(a) Prohibits the Operation of a Family Child Care Learning Home Without a Valid License. It Was Determined Based on Observation That the Home Was Operating Without a Valid License After the Provider Had the Original Licensed Mobile Home Structure Removed and Replaced with a New Mobile Home Structure. Additionally, the Indoor Floor Plan Was Observed to Be Changed From the Original F**
290-2-3-.04
- **290-2-3-.08(2) Requires the Home to Maintain a File for Each Child That Includes Evidence of Age-appropriate Immunizations or a Signed Affidavit Against Such Immunizations**
290-2-3-.08
- **290-2-3-.10(13) Requires That All Perishable and Potentially Hazardous Foods Be Refrigerated at a Temperature of Forty (40) Degrees Fahrenheit or Below and Served Promptly After Cooking. Freezer Temperature Shall Be Maintained at Zero (0) Degrees Fahrenheit or Below. It Was Determined Based on Observation That the Provider Did Not Have a Thermometer in the Refrigerator or Freezer as Required.**
290-2-3-.10

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **290-2-3-.11(2)(c) Requires That Documentation of Drills Required by These Rules Shall Be Maintained in the Home. The Home Shall Conduct Drills for Fire, Tornado, and Other Emergency Situations. The Fire Drills Will Be Conducted Monthly and Tornado and Other Emergency Situation Drills Will Be Conducted Every Six Months. The Home Shall Maintain Documentation of the Dates and Times of These Drills Fo**
290-2-3-.11

- **290-2-3-.13(2)(a) Requires That Outdoor Play Areas Be Kept Clean and Free of Hazards Such as Exposed Sharp Corners of Concrete or Equipment, Rust and Splinters on Equipment, Broken Glass, Open Drainage Ditches, Holes and Stagnant Water. It Was Determined Based on Observation That the Following Hazards Were Found on the Playground Accessible to Children, Which Posed a Hazard: - A Red Water Hose Run**
290-2-3-.13

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.