

KoolKids Academy

2841 West Main Street
Snellville, GA

3 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Mar 18, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were 591-1-1-.25(11) Requires That Floor Coverings Be Tight, Smooth, Free of Odors and Washable or Cleanable. It Was Determined That the Floor Covering in the Shared Bathroom in Ga-Pre-K and 3 Year-old Class Was Observed Torn in the Corner and Was Not Smooth and Tight Fitting. (2), Associated with Investigation 591-1-1-.11(2) Requires That Personnel Not: Physically or Sexually Abuse a Child or Engage or Permit Others to Engage in Sexually Overt Conduct in the Presence of Any Child Enrolled in the Center (1), and 591-1-1-.26(6) Requires That Playground Equipment Provide an Opportunity for the Children to Engage in a Variety of Experiences and Shall Be Age-appropriate. For Example, Toddlers Shall Not Be Permitted to Swing in Swings Designed for School-age Children. The Outdoor Equipment Shall Be Free of Lead-based Paint, Sharp Corners and Shall Be Regularly Maintained in Such a Way as to Be Free of Rust And (1). None of the 5 findings were critical.

Inspection Visits

Mar 18, 2026 1 Finding ● 1 Important

- **591-1-1-.25(11) Requires That Floor Coverings Be Tight, Smooth, Free of Odors and Washable or Cleanable. It Was Determined That the Floor Covering in the Shared Bathroom in Ga-Pre-K and 3 Year-old Class Was Observed Torn in the Corner and Was Not Smooth and Tight Fitting.**

591-1-1-.25

Sep 17, 2025 1 Finding ● 1 Important

- **Associated with Investigation 591-1-1-.11(2) Requires That Personnel Not: Physically or Sexually Abuse a Child or Engage or Permit Others to Engage in Sexually Overt Conduct in the Presence of Any Child Enrolled in the Center**

591-1-1-.11

Sep 9, 2025 3 Findings ● 3 Important

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **Evidence Observed of 50% of Center Staff Certified in First Aid and CPR. Finding 591-1-1-.14(1)(a) Requires All Staff Who Provide Direct Care to Children Must Obtain Certification in a Biennial Training Program in Pediatric Cardiopulmonary Resuscitation (CPR) and a Triennial Training Program in Pediatric First Aid Within the First 45 Days of Employment. Current and Valid Evidence of the Successful**

591-1-1-.14

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the C-Middle Classroom Was Observed to Have an Unlocked Cabinet Which Contained Teacher's Bags, Barbamol, Adult Scissors, Wipes Packaging Which Read Keep Out of Reach of Children and Hand Sanitizer Spray.**

591-1-1-.25

- **591-1-1-.26(6) Requires That Playground Equipment Provide an Opportunity for the Children to Engage in a Variety of Experiences and Shall Be Age-appropriate. For Example, Toddlers Shall Not Be Permitted to Swing in Swings Designed for School-age Children. The Outdoor Equipment Shall Be Free of Lead-based Paint, Sharp Corners and Shall Be Regularly Maintained in Such a Way as to Be Free of Rust And**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.