

First Baptist Day School

751 Green Street NW
Gainesville, GA

2 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: Sep 16, 2024

● 3 Important

Across 2 inspections since 2024, the issues cited most often were Center Appears Clean and Well Maintained. Comment Please Be Mindful to Keep Items That Pose a Hazard Inaccessible to Children. Finding 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation, in Room 129 There Was a Sharp Knife Inside the Refrigerator Located on the Floor Which (1), Please Be Mindful of Training Expiration Dates. Finding 591-1-1-.14(2) Requires a Staff Member Who Is Trained in CPR and First Aid to Be on the Premises and on Any Field Trip Whenever Any Child Is Present. In Addition, Staff Who Provide Direct Care to Children Must Satisfactorily Obtain Certification in First Aid and CPR by December 29, 2016 if Employed Prior to September 30, 2016 and Within 90 Da (1), and 591-1-1-.09(1)(c) Requires the Center to Ensure That Every Employee Has a Valid and Current Satisfactory Comprehensive Records Check Determination on File Prior to Being Present at the Center While Any Child Is Present for Care or Before an Individual Age 17 or Older Resides in the Center. The Comprehensive Records Check Determination Must Have a Records Check Clearance Date That Is No Older Than (1). None of the 3 findings were critical.

Inspection Visits

Sep 16, 2024 2 Findings ● 2 Important

- **Please Be Mindful of Training Expiration Dates. Finding 591-1-1-.14(2) Requires a Staff Member Who Is Trained in CPR and First Aid to Be on the Premises and on Any Field Trip Whenever Any Child Is Present. In Addition, Staff Who Provide Direct Care to Children Must Satisfactorily Obtain Certification in First Aid and CPR by December 29, 2016 if Employed Prior to September 30, 2016 and Within 90 Da**
591-1-1-.14
- **Center Appears Clean and Well Maintained. Comment Please Be Mindful to Keep Items That Pose a Hazard Inaccessible to Children. Finding 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation, in Room 129 There Was a Sharp Knife Inside the Refrigerator Located on the Floor Which**
591-1-1-.25

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

May 9, 2024 1 Finding 1 Important

- **591-1-1-.09(1)(c) Requires the Center to Ensure That Every Employee Has a Valid and Current Satisfactory Comprehensive Records Check Determination on File Prior to Being Present at the Center While Any Child Is Present for Care or Before an Individual Age 17 or Older Resides in the Center. The Comprehensive Records Check Determination Must Have a Records Check Clearance Date That Is No Older Than**

591-1-1-.09

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.