

Learning Tree Christian Academy

2763 Tobacco Road Suite A & B
Hephzibah, GA

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Apr 21, 2026

● 5 Important

Across 2 inspections since 2024, the issues cited most often were 591-1-1-.32(1) Requires the Center to Maintain the Required Staff:child Ratios as Follows: Under 1 Year or Under 18 Months if Not Walking = 1:6 (1), 591-1-1-.06(4) Requires a Center First Licensed After March 1, 1991, and Centers That Remodel or Add to Existing Plumbing Facilities, to Have the Bathroom Area Fully Enclosed and Ventilated to the Outside of the Building with Either an Open Screened Window or Functioning Exhaust Fan and Duct System and Requires Centers Without Fully Enclosed Bathrooms to Ensure There Is Adequate Ventilation to Con (1), and 591-1-1-.19(1) Requires a Center to Provide 35 Square Feet of Usable Space per Child, Which Will Determine the Center's License Capacity. It Was Determined Based Upon Observation That There Were 25 Children in Classroom B When the Center's License Max Capacity Was 20. (1). None of the 5 findings were critical.

Inspection Visits

Apr 21, 2026 1 Finding ● 1 Important

- **591-1-1-.32(1) Requires the Center to Maintain the Required Staff:child Ratios as Follows: Under 1 Year or Under 18 Months if Not Walking = 1:6**
591-1-1-.32

Sep 23, 2024 4 Findings ● 4 Important

- **591-1-1-.06(4) Requires a Center First Licensed After March 1, 1991, and Centers That Remodel or Add to Existing Plumbing Facilities, to Have the Bathroom Area Fully Enclosed and Ventilated to the Outside of the Building with Either an Open Screened Window or Functioning Exhaust Fan and Duct System and Requires Centers Without Fully Enclosed Bathrooms to Ensure There Is Adequate Ventilation to Con**
591-1-1-.06
- **591-1-1-17(7) Requires That Children Wash Their Hands with Liquid Soap and Warm Running Water Upon Arrival for Care, When Moving From One Child Care Group to Another, Upon Re-entering the Child Care Area After Outside Play, Before and After Eating Meals and Snacks, Handling or Touching Food, Playing in Water**
591-1-1-.17

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.19(1) Requires a Center to Provide 35 Square Feet of Usable Space per Child, Which Will Determine the Center's License Capacity. It Was Determined Based Upon Observation That There Were 25 Children in Classroom B When the Center's License Max Capacity Was 20.**

591-1-1-.19

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based Upon Observation That the Following Hazards Were Accessible to Children on This Date: Classroom A: - Two Bottles of Euerin Lotion in a Child's Cubby. - One Tube of Aquaphor Ointment in a Child's Cubby. - One Container of Sani-Cloth Germic**

591-1-1-.25

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.