

Blast Learning Academy

320 Riverside Parkway Suite 100B
Austell, GA

5 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Sep 22, 2025

● 5 Important

Across 5 inspections since 2023, the issues cited most often were 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That Diaper Cream, Hand Sanitizer and Diaper Wipes Were Located in an Unlocked Cabinet and Accessible to Children in the 1L-Infants Classroom. In Addition, Diaper Wipes That Were Marked Keep Out of Reach of Children Were L (2), Discussed Maintenance of Resilient Surface. Please Fluff and Redistribute. Finding 591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other (1), and 591-1-1-.15(3) Requires Baby Bottles and Formula to Be Labeled with the Individual Child's Name (1). None of the 5 findings were critical.

Inspection Visits

Sep 22, 2025 1 Finding ● 1 Important

- Discussed Maintenance of Resilient Surface. Please Fluff and Redistribute. Finding 591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other

591-1-1-.26

Sep 24, 2024 1 Finding ● 1 Important

- 591-1-1-.15(3) Requires Baby Bottles and Formula to Be Labeled with the Individual Child's Name

591-1-1-.15

Jul 8, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That Diaper Cream, Hand Sanitizer and Diaper Wipes Were Located in an Unlocked Cabinet and Accessible to Children in the 1L-Infants Classroom. In Addition, Diaper Wipes That Were Marked Keep Out of Reach of Children Were L**

591-1-1-.25

Mar 7, 2024 1 Finding ● 1 Important

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That Hand Sanitizer Was Located on the Diaper Changing Station in Classroom 2R and Accessible to Children. Additionally, Bleach Wipes Were Located in a Hallway Leading to the Playground That Was Accessible to Children And**

591-1-1-.25

Nov 28, 2023 1 Finding ● 1 Important

- **591-1-1-.30(1)(a)2 Requires That a Crib Mattress Is Firm, Tight-fitting Without Gaps, at Least 2 Inches Thick and Covered with a Waterproof, Washable Material. Before a Change of Occupant, Each Mattress Shall Be Cleaned with a Disinfectant. It Was Determined That Three of Five Crib Mattresses Were Not Firm with a Waterproof, Washable Cover.**

591-1-1-.30

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.