

Childcare Network #208

4250 Jodeco Road
McDonough, GA

3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Nov 3, 2025

● 5 Important

Across 3 inspections since 2025, the issues cited most often were 591-1-1-.26(9) Requires the Playground to Be Kept Clean, Free From Litter and Free of Hazards, Such as but Not Limited to Rocks, Exposed Tree Roots and Exposed Sharp Edges of Concrete. It Was Determined Based on Observation: Playground D (Back Left) * Exposed Tree Roots and Two Sink Holes Which Posed a Potential Tripping Hazard and Active Ant Beds Were Present Throughout the Playground. (2), Associated with Complaint 591-1-1-.11(2) Requires That Personnel Not: Physically or Sexually Abuse a Child or Engage or Permit Others to Engage in Sexually Overt Conduct in the Presence of Any Child Enrolled in the Center (1), and Associated with Complaint 591-1-1-.30(1)(a) Requires a Crib That Is Safety Approved in Compliance with Consumer Product Safety Commission (CPSC) and American Society of Testing and Materials International (ASTM) Safety Standards Be Provided for Each Infant. It Was Determined Based on Investigative Findings That an 11-month-old Infant Was Placed in a Crib with a Blanket on October 17, 2025 for an U (1). None of the 5 findings were critical.

Inspection Visits

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

Nov 3, 2025 3 Findings ● 3 Important

- **Associated with Complaint 591-1-1-.11(2) Requires That Personnel Not: Physically or Sexually Abuse a Child or Engage or Permit Others to Engage in Sexually Overt Conduct in the Presence of Any Child Enrolled in the Center**

591-1-1-.11

- **591-1-1-.26(9) Requires the Playground to Be Kept Clean, Free From Litter and Free of Hazards, Such as but Not Limited to Rocks, Exposed Tree Roots and Exposed Sharp Edges of Concrete. It Was Determined Based on Observation: Playground D (Back Left) * Exposed Tree Roots and Two Sink Holes Which Posed a Potential Tripping Hazard and Active Ant Beds Were Present Throughout the Playground.**

591-1-1-.26

- **Associated with Complaint 591-1-1-.30(1)(a) Requires a Crib That Is Safety Approved in Compliance with Consumer Product Safety Commission (CPSC) and American Society of Testing and Materials International (ASTM) Safety Standards Be Provided for Each Infant. It Was Determined Based on Investigative Findings That an 11-month-old Infant Was Placed in a Crib with a Blanket on October 17, 2025 for an U**

591-1-1-.30

Jun 2, 2025 1 Finding ● 1 Important

- **591-1-1-.26(8) - Please Ensure That the Correct Amount of Resilient Surfacing Is Maintained in the Fall Zones of All Play Structures Where Required.**

591-1-1-.26

May 16, 2025 1 Finding ● 1 Important

- **Associated with Complaint 591-1-1-.03(9) Requires Center Staff to Refrain From Engaging In, or Allowing Children or Other Adults to Engage In, Activities That Could Be Detrimental to a Child's Health or Well-being, Such as but Not Limited To, Horse Play, Rough Play, Wrestling, and Picking Up a Child in a Manner That Could Cause Injury. It Was Determined Based on an Investigation That on April 17,**

591-1-1-.03

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.