

Ivy League Academy

1607 Peachtree Pkwy
Cumming, GA

3 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Feb 25, 2026

● 5 Important

Across 3 inspections since 2023, the issues cited most often were 591-1-1-.26(9) Requires the Playground to Be Kept Clean, Free From Litter and Free of Hazards, Such as but Not Limited to Rocks, Exposed Tree Roots and Exposed Sharp Edges of Concrete. It Was Determined Based on Observation That on the Toddler Playground, Adjacent to the Fence That Separates the Playgrounds , There Was a Drainage Pipe in the Concrete That Creates a Hole That Is Six Inches in Dime (2), Director Provided One Staff File for Employees Hired Since Last Visit Conducted on March 28, 2024. Consultant Observed Staff to Have a Satisfactory Comprehensive Record Check Electronically on This Date. Finding 591-1-1-.09(1)(a) Requires That a Center Ensure That Every Actual and Potential Director, Employee and Provisional Employee of a Child Care Learning Center Submit Both a Records Check Appl (2), and 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation the Following Hazardous Items Were Observed to Be Accessible to the Children: - Classroom 1L - A Gallon of Glue Was Sitting on the Hand Washing Sink, a Mop Was Stored Next to the Sink and an Unused White Extension Cord Was (1). None of the 5 findings were critical.

Inspection Visits

Feb 25, 2026 1 Finding ● 1 Important

- **591-1-1-.26(9) Requires the Playground to Be Kept Clean, Free From Litter and Free of Hazards, Such as but Not Limited to Rocks, Exposed Tree Roots and Exposed Sharp Edges of Concrete. It Was Determined Based on Observation That on the Toddler Playground, Adjacent to the Fence That Separates the Playgrounds , There Was a Drainage Pipe in the Concrete That Creates a Hole That Is Six Inches in Dime**

591-1-1-.26

Oct 4, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **Director Provided One Staff File for Employees Hired Since Last Visit Conducted on March 28, 2024. Consultant Observed Staff to Have a Satisfactory Comprehensive Record Check Electronically on This Date. Finding 591-1-1-.09(1)(a) Requires That a Center Ensure That Every Actual and Potential Director, Employee and Provisional Employee of a Child Care Learning Center Submit Both a Records Check Appl**

591-1-1-.09

Jul 10, 2023 3 Findings ● 3 Important

- **591-1-1-.09(1)(a) Requires That a Center Ensure That Every Actual and Potential Director, Employee and Provisional Employee of a Child Care Learning Center Submit Both a Records Check Application to the Department and Fingerprints to an Authorized Fingerprinting Site. It Was Determined Based on a Review of Staff Records That an Employee Hired July 10, 2023, and Who Was Working with Children Did No**

591-1-1-.09

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation the Following Hazardous Items Were Observed to Be Accessible to the Children: - Classroom 1L - A Gallon of Glue Was Sitting on the Hand Washing Sink, a Mop Was Stored Next to the Sink and an Unused White Extension Cord Was**

591-1-1-.25

- **591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.