

KinderCare Learning Center #411

5252 West Fayetteville Road
College Park, GA

3 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: May 20, 2026

● 5 Important

Across 3 inspections since 2023, the issues cited most often were Please Secure Cleaning Tools (I.e., Broom, Plunger) Out of Reach of Children. Comment The Center Appeared Clean and Well Maintained on This Date. Finding 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observations That the Following Hazards Were Found in the Cubby Areas in the Fol (3) and A Variety of Equipment and Toys Were Observed Throughout the Center on This Date. Finding 591-1-1-.12(4) Requires That Equipment and Furniture Is Secured if It Is of a Weight or Mass That Could Cause Injury From Tipping, Falling, or Being Pulled or Pushed Over. It Was Determined Based on Observations in Back Middle GA Pre-K Room That the Laptop Monitor Was Not Secured and Posed a Tipping Hazard. (2). None of the 5 findings were critical.

Inspection Visits

May 20, 2026 2 Findings ● 2 Important

- A Variety of Equipment and Toys Were Observed Throughout the Center on This Date. Finding 591-1-1-.12(4) Requires That Equipment and Furniture Is Secured if It Is of a Weight or Mass That Could Cause Injury From Tipping, Falling, or Being Pulled or Pushed Over. It Was Determined Based on Observations in Back Middle GA Pre-K Room That the Laptop Monitor Was Not Secured and Posed a Tipping Hazard.

591-1-1-.12

- Please Secure Cleaning Tools (I.e., Broom, Plunger) Out of Reach of Children. Comment The Center Appeared Clean and Well Maintained on This Date. Finding 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observations That the Following Hazards Were Found in the Cubby Areas in the Fol

591-1-1-.25

Apr 25, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **Center Appears Clean and Well Maintained. Georgia Department of Early Care and Learning Revision Date: 5/2/2025 10:23:45 AM Page 1 of 3 Finding 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observations That the Following Hazards Were Found in the Following Classrooms Cubbies And**

591-1-1-.25

Jun 29, 2023 2 Findings ● 2 Important

- **A Variety of Equipment and Toys Were Observed Throughout the Center. Finding 591-1-1-.12(4) Requires That Equipment and Furniture Is Secured if It Is of a Weight or Mass That Could Cause Injury From Tipping, Falling, or Being Pulled or Pushed Over. It Was Determined Based on Observation That an Easel in Room 4 Was Missing Screws.**

591-1-1-.12

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Hazards Where Observed -Back Middle GA Pre-K Classroom There Was a TB Disinfectant Cleaner Ready Bottle Labeled "Keep Out of Reach of Children" Located on the Art Easel. -Room 3 Plunger in the Bathroom**

591-1-1-.25

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.