

GASP! @ Dacula

2500 Fence Road NE
Dacula, GA

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Feb 25, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were 591-1-1-.08(1) Requires the Center Staff to Maintain a File for Each Child While Such Child Is in Care and for One Year After That Child Is No Longer Enrolled. In Order for the File to Be Complete, the File Shall Contain the Following: Child's Name, Birth Date, Sex, Address, Living Arrangement, Name of School if Applicable (2), 591-1-1-.18(5) Requires the Refrigeration of All Perishable and Potentially Hazardous Foods at 40 Degrees Fahrenheit or Below and Served Promptly After Cooking. Freezer Temperature Shall Be Maintained at Zero (0) Degrees Fahrenheit or Below. It Was Determined Based on Observation That the Refrigerator Temperature Was 45 Degrees Fahrenheit. (2), and 591-1-1-.21(3) Requires That the Center Conduct Drills for Fire, Tornado and Other Emergency Situations. The Fire Drills Will Be Conducted Monthly and Tornado and Other Emergency Situation Drills Will Be Conducted Every Six Months. The Center Shall Maintain Documentation of the Dates and Times of These Drills for Two Years. It Was Determined Based on Review of Records That the Center Did Not Have (1). None of the 5 findings were critical.

Inspection Visits

Feb 25, 2026 3 Findings ● 3 Important

- **591-1-1-.08(1) Requires the Center Staff to Maintain a File for Each Child While Such Child Is in Care and for One Year After That Child Is No Longer Enrolled. In Order for the File to Be Complete, the File Shall Contain the Following: Child's Name, Birth Date, Sex, Address, Living Arrangement, Name of School if Applicable**

591-1-1-.08

- **591-1-1-.18(5) Requires the Refrigeration of All Perishable and Potentially Hazardous Foods at 40 Degrees Fahrenheit or Below and Served Promptly After Cooking. Freezer Temperature Shall Be Maintained at Zero (0) Degrees Fahrenheit or Below. It Was Determined Based on Observation That the Refrigerator Temperature Was 45 Degrees Fahrenheit.**

591-1-1-.18

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.21(3) Requires That the Center Conduct Drills for Fire, Tornado and Other Emergency Situations. The Fire Drills Will Be Conducted Monthly and Tornado and Other Emergency Situation Drills Will Be Conducted Every Six Months. The Center Shall Maintain Documentation of the Dates and Times of These Drills for Two Years. It Was Determined Based on Review of Records That the Center Did Not Have**
591-1-1-.21

Oct 8, 2025 2 Findings ● 2 Important

- **591-1-1-.08(1) Requires the Center Staff to Maintain a File for Each Child While Such Child Is in Care and for One Year After That Child Is No Longer Enrolled. In Order for the File to Be Complete, the File Shall Contain the Following: Child's Name, Birth Date, Sex, Address, Living Arrangement, Name of School if Applicable**
591-1-1-.08
- **591-1-1-.18(5) Requires the Refrigeration of All Perishable and Potentially Hazardous Foods at 40 Degrees Fahrenheit or Below and Served Promptly After Cooking. Freezer Temperature Shall Be Maintained at Zero (0) Degrees Fahrenheit or Below. It Was Determined Based on Observation That the Refrigerator Temperature Was 43 Degrees Fahrenheit.**
591-1-1-.18

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.