

Martinez Alvarez Nohelia C

2390 Rock Springs Road
Buford, GA

2 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Jul 12, 2024

● 4 Important

Across 2 inspections since 2024, the issues cited most often were Proper Diapering Procedures Observed. Finding 290-2-3-.11(1)(h) Requires Toilet Potty Chairs Shall After Each Use Be Emptied by Disposal in a Flush Toilet, Cleaned with a Disinfectant, and Stored in the Bathroom. If a Sink Is Used, It Shall Be Disinfected After Each Use. It Was Determined Based on an Observation a Usedpotty Chair Was Stored Behind the Dramatic Play Area Beside the Changing Table. (2), 290-2-3-.19(2)(c) Requires That Infants Shall Only Sleep in a Safety Approved Crib or Other Equipment Approved for Infant Sleep as Described in 290-2-3-.19(1)(a) and Shall Not Sleep in Any Other Equipment, Such As, but Not Limited To, a Car Safety Seat, Bouncy Seat, Highchair, or Swing. Infants Who Arrive at the Facility Asleep or Fall Asleep in Such Equipment or on the Floor Shall Be Transferred (1), and 290-2-3-.21(1)(a) Requires the Home to Ensure That the Provider, Every Actual and Potential Employee(including Residents Age 17 and Older) and Provisional Employee of the Family Child Care Learning Home Has Submitted Both a Records Check Application to the Department and Fingerprints to an Authorized Fingerprinting Site. It Was Determined Based on a Observations Two Residents Were Present on Premi (1). None of the 4 findings were critical.

Inspection Visits

Jul 12, 2024 3 Findings ● 3 Important

- **Proper Diapering Procedures Observed. Finding 290-2-3-.11(1)(h) Requires Toilet Potty Chairs Shall After Each Use Be Emptied by Disposal in a Flush Toilet, Cleaned with a Disinfectant, and Stored in the Bathroom. If a Sink Is Used, It Shall Be Disinfected After Each Use. It Was Determined Based on an Observation a Usedpotty Chair Was Stored Behind the Dramatic Play Area Beside the Changing Table.**
290-2-3-.11
- **290-2-3-.19(2)(c) Requires That Infants Shall Only Sleep in a Safety Approved Crib or Other Equipment Approved for Infant Sleep as Described in 290-2-3-.19(1)(a) and Shall Not Sleep in Any Other Equipment, Such As, but Not Limited To, a Car Safety Seat, Bouncy Seat, Highchair, or Swing. Infants Who Arrive at the Facility Asleep or Fall Asleep in Such Equipment or on the Floor Shall Be Transferred**
290-2-3-.19

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **290-2-3-.21(1)(a) Requires the Home to Ensure That the Provider, Every Actual and Potential Employee (including Residents Age 17 and Older) and Provisional Employee of the Family Child Care Learning Home Has Submitted Both a Records Check Application to the Department and Fingerprints to an Authorized Fingerprinting Site. It Was Determined Based on a Observations Two Residents Were Present on Premi**
290-2-3-.21

Mar 5, 2024 1 Finding ● 1 Important

- **290-2-3-.11(2)(c) Requires That Documentation of Drills Required by These Rules Shall Be Maintained in the Home. The Home Shall Conduct Drills for Fire, Tornado, and Other Emergency Situations. The Fire Drills Will Be Conducted Monthly and Tornado and Other Emergency Situation Drills Will Be Conducted Every Six Months. The Home Shall Maintain Documentation of the Dates and Times of These Drills Fo**
290-2-3-.11

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.