

Mini Miracles Daycare

1016 Mill Street Ext.
Elberton, GA

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Feb 19, 2026

● 5 Important

Across 2 inspections since 2024, the issues cited most often were Discussed Monitoring the Back-left Side of the Floor Leading to the Playground Exit Located in Classroom B- Middle-3 and Up for Normal Wear and Tear. (2), 591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe (2), and 591-1-1-.33(4) - The Consultant and the Assistant Director Discussed the Differences Between CACFP Annual Training and Food and Nutrition Training for Staff #1 on This Date. (1). None of the 5 findings were critical.

Inspection Visits

Feb 19, 2026 2 Findings ● 2 Important

- **Discussed Monitoring the Back-left Side of the Floor Leading to the Playground Exit Located in Classroom B- Middle-3 and Up for Normal Wear and Tear.**

591-1-1-.25

- **591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe**

591-1-1-.26

Apr 29, 2024 3 Findings ● 3 Important

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Hazards Were Accessible to Children on This Date: Children's Hallway Bathroom • Soap That Read "Keep Out of Reach of Children" Was Located on the Sink. • Trash Bags That Contained Decorations Were Stored**

591-1-1-.25

- **Discussed Maintenance of Resilient Surface. Please Fluff and Redistribute.**

591-1-1-.26

- **591-1-1-.33(4) - The Consultant and the Assistant Director Discussed the Differences Between CACFP Annual Training and Food and Nutrition Training for Staff #1 on This Date.**

591-1-1-.33

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.