

New Oak Academy

140 Old Boston Road
Thomasville, GA

1 Inspection Visit Since 2025 · 3 Findings

Most recent inspection: Jan 8, 2026

● 3 Important

Across 1 inspection since 2025, the issues cited most often were 591-1-1-.12(4) Requires That Equipment and Furniture Is Secured if It Is of a Weight or Mass That Could Cause Injury From Tipping, Falling, or Being Pulled or Pushed Over. It Was Determined Based on Observation That in Room D - 4L Front the Cubby Shelf to the Right of the Classroom Door Was Tilted and Unstable Which, Posed a Tipping Hazard. Additionally, in Room E - 2R There Were Two Shelves in Th (1), 591-1-1-.08(1) Requires the Center Staff to Maintain a File for Each Child While Such Child Is in Care and for One Year After That Child Is No Longer Enrolled. In Order for the File to Be Complete, the File Shall Contain the Following: Child's Name, Birth Date, Sex, Address, Living Arrangement, Name of School if Applicable (1), and 591-1-1-.10(4) Requires That if Diapers Are Changed on a Diaper Changing Surface, the Surface Shall Be Smooth, Nonporous, and Equipped with a Guard or Rails to Prevent Falls. Between Each Diaper Change, the Diaper Changing Surface Shall Be Cleaned with a Disinfectant and Dried with a Single-use Disposable Towel. It Was Determined Based on Observation That the Changing Surface in Room A - 1L Was Po (1). None of the 3 findings were critical.

Inspection Visits

Jul 14, 2025 3 Findings ● 3 Important

- **591-1-1-.08(1) Requires the Center Staff to Maintain a File for Each Child While Such Child Is in Care and for One Year After That Child Is No Longer Enrolled. In Order for the File to Be Complete, the File Shall Contain the Following: Child's Name, Birth Date, Sex, Address, Living Arrangement, Name of School if Applicable**

591-1-1-.08

- **591-1-1-.10(4) Requires That if Diapers Are Changed on a Diaper Changing Surface, the Surface Shall Be Smooth, Nonporous, and Equipped with a Guard or Rails to Prevent Falls. Between Each Diaper Change, the Diaper Changing Surface Shall Be Cleaned with a Disinfectant and Dried with a Single-use Disposable Towel. It Was Determined Based on Observation That the Changing Surface in Room A - 1L Was Po**

591-1-1-.10

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.12(4) Requires That Equipment and Furniture Is Secured if It Is of a Weight or Mass That Could Cause Injury From Tipping, Falling, or Being Pulled or Pushed Over. It Was Determined Based on Observation That in Room D - 4L Front the Cubby Shelf to the Right of the Classroom Door Was Tilted and Unstable Which, Posed a Tipping Hazard. Additionally, in Room E - 2R There Were Two Shelves in Th**
591-1-1-.12

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.