

# Brookhaven Christian CDC

4500 Peachtree Rd. NE  
Atlanta, GA

## 4 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: May 20, 2026

● 5 Important

Across 4 inspections since 2024, the issues cited most often were 591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That the Resilient Surface Under the Fall Zones Near the Large Play Structure on the Large Playground, Measured Less Than Three Inches Deep. (2), 591-1-1-.30(2) Requires the Center to Provide a Safe Sleep Environment in Accordance with American Academy of Pediatrics (AAP), Consumer Product Safety Commission (CPSC) and American Society for Testing and Materials (ASTM) Recommendations as Listed in These Rules for All Infants. Center Staff Shall Place an Infant to Sleep on the Infant's Back in a Crib Unless the Center Has Been Provided a Physi (1), and Associated with Complaint 591-1-1-.32(7) Requires That Children Be Supervised at All Times Appropriate to the Individual Age, Needs and Capabilities of Each Child. Such Supervision Must Include, but Not Be Limited To, Indoor and Outdoor Activities, Mealtimes, Naptime, Transportation, Field Trips, and Transitions Between Activities. "Supervision" Means That the Appropriate Number of Staff Members A (1). None of the 5 findings were critical.

## Inspection Visits

**May 20, 2026** 1 Finding ● 1 Important

- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That the Resilient Surface Under the Fall Zones Near the Large Play Structure on the Large Playground, Measured Less Than Three Inches Deep.**

591-1-1-.26

**Dec 5, 2025** 1 Finding ● 1 Important

- **591-1-1-.30(2) Requires the Center to Provide a Safe Sleep Environment in Accordance with American Academy of Pediatrics (AAP), Consumer Product Safety Commission (CPSC) and American Society for Testing and Materials (ASTM) Recommendations as Listed in These Rules for All Infants. Center Staff Shall Place an Infant to Sleep on the Infant's Back in a Crib Unless the Center Has Been Provided a Physi**

591-1-1-.30

### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

**Nov 6, 2025** 1 Finding ● 1 Important

- **Associated with Complaint 591-1-1-.32(7) Requires That Children Be Supervised at All Times Appropriate to the Individual Age, Needs and Capabilities of Each Child. Such Supervision Must Include, but Not Be Limited To, Indoor and Outdoor Activities, Mealtimes, Naptime, Transportation, Field Trips, and Transitions Between Activities. "Supervision" Means That the Appropriate Number of Staff Members A**  
591-1-1-.32

**Nov 5, 2024** 2 Findings ● 2 Important

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Potentially Hazardous Items Were Stored Accessible to Children: - Infant Room- Wipes and Ointment in an Unlocked Cabinet - One's- Plastic Bags in a an Unlocked Drawer - Two's- Wipes in an Unlocked Cabine**  
591-1-1-.25
- **591-1-1-.26(6) Requires That Playground Equipment Provide an Opportunity for the Children to Engage in a Variety of Experiences and Shall Be Age-appropriate. For Example, Toddlers Shall Not Be Permitted to Swing in Swings Designed for School-age Children. The Outdoor Equipment Shall Be Free of Lead-based Paint, Sharp Corners and Shall Be Regularly Maintained in Such a Way as to Be Free of Rust And**  
591-1-1-.26

### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.