

Childcare Network #252

1201 North Houston Rd.

Warner Robins, GA

3 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Jul 15, 2025

● 5 Important

Across 3 inspections since 2023, the issues cited most often were Associated with Complaint 591-1-1-.32(2) Requires the Center Maintain Staff:child Ratios in Mixed-age Groups Based on the Age of the Youngest Group of Children That Includes More Than Twenty Percent of the Total Number of Children in the Mixed- Age Group. It Was Determined On Attendance Records, Children Enrollment Forms, Staff Statements and Video Footage That on July 8, 2025, There Was One Staff (2), 591-1-1-.25(3) Requires the Center and Surrounding Premises to Be Kept Clean, Free of Debris and in Good Repair. Hygienic Measures Such As, but Not Limited To, Screened Windows and Proper Waste Disposal Procedures Shall Be Utilized to Minimize the Presence of Rodents, Flies, Roaches and Other Vermin at the Center. It Was Determined Based on Observation the Following * Several Ceiling Tiles in Clas (1), and Trees Located on the Site or That Encroach Onto the Site From Adjacent Properties May Have Structural Issues That Present an Elevated Level of Risk. Consider Having These Trees Inspected by a Certified Arborist to Determine Their Structural Integrity and Associated Levels of Risk. Finding 591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fe (1). None of the 5 findings were critical.

Inspection Visits

Jul 15, 2025 3 Findings ● 3 Important

- **591-1-1-.25(3) Requires the Center and Surrounding Premises to Be Kept Clean, Free of Debris and in Good Repair. Hygienic Measures Such As, but Not Limited To, Screened Windows and Proper Waste Disposal Procedures Shall Be Utilized to Minimize the Presence of Rodents, Flies, Roaches and Other Vermin at the Center. It Was Determined Based on Observation the Following * Several Ceiling Tiles in Clas**

591-1-1-.25

- **Trees Located on the Site or That Encroach Onto the Site From Adjacent Properties May Have Structural Issues That Present an Elevated Level of Risk. Consider Having These Trees Inspected by a Certified Arborist to Determine Their Structural Integrity and Associated Levels of Risk. Finding 591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fe**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **Associated with Complaint 591-1-1-.32(2) Requires the Center Maintain Staff:child Ratios in Mixed-age Groups Based on the Age of the Youngest Group of Children That Includes More Than Twenty Percent of the Total Number of Children in the Mixed- Age Group. It Was Determined On Attendance Records, Children Enrollment Forms, Staff Statements and Video Footage That on July 8, 2025, There Was One Staff**

591-1-1-.32

May 23, 2024 1 Finding ● 1 Important

- **591-1-1-.30(2) Requires the Center to Provide a Safe Sleep Environment in Accordance with American Academy of Pediatrics (AAP), Consumer Product Safety Commission (CPSC) and American Society for Testing and Materials (ASTM) Recommendations as Listed in These Rules for All Infants. Center Staff Shall Place an Infant to Sleep on the Infant's Back in a Crib Unless the Center Has Been Provided a Physi**

591-1-1-.30

Sep 15, 2023 1 Finding ● 1 Important

- **Associated with Complaint 591-1-1-.32(7) Requires That Children Be Supervised at All Times Appropriate to the Individual Age, Needs and Capabilities of Each Child. Such Supervision Must Include, but Not Be Limited To, Indoor and Outdoor Activities, Mealtimes, Naptime, Transportation, Field Trips, and Transitions Between Activities. "Supervision" Means That the Appropriate Number of Staff Members A**

591-1-1-.32

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.