

Dye Betty E

907 Stillwater Drive
Valdosta, GA

2 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Apr 10, 2025

● 3 Important

Across 2 inspections since 2023, the issues cited most often were 290-2-3-.08(1) Requires the Home to Have a Current and Updated Record for Each Child in Care and for a Period of One (1) Year After Each Child Leaves. Such Records Shall Include: Identifying Information (Child's Name, Birth Date, Parent's Name, Home and Business Addresses, Telephone Numbers) (1), 290-2-3-.11(2)(f) Requires That Poisons, Medicines, Cleaning Agents and Other Hazardous Materials Be in Locked Areas or Inaccessible to Children. It Was Determined Based on Observation That a Black Purse Located Next to the Large Chair at the Entrance of the Center Contained a Bottle of Prescription Medication Which Posed a Hazard to the Children. (1), and 290-2-3-.13(2)(a) Requires That Outdoor Play Areas Be Kept Clean and Free of Hazards Such as Exposed Sharp Corners of Concrete or Equipment, Rust and Splinters on Equipment, Broken Glass, Open Drainage Ditches, Holes and Stagnant Water. It Was Determined Based on Observation That the White PVC Pipe Surrounding the Main Play Structure Was Busted and Had a Hole Posing a Hazard to the Children. There (1). None of the 3 findings were critical.

Inspection Visits

Apr 10, 2025 2 Findings ● 2 Important

- **290-2-3-.08(1) Requires the Home to Have a Current and Updated Record for Each Child in Care and for a Period of One (1) Year After Each Child Leaves. Such Records Shall Include: Identifying Information (Child's Name, Birth Date, Parent's Name, Home and Business Addresses, Telephone Numbers)**

290-2-3-.08

- **290-2-3-.11(2)(f) Requires That Poisons, Medicines, Cleaning Agents and Other Hazardous Materials Be in Locked Areas or Inaccessible to Children. It Was Determined Based on Observation That a Black Purse Located Next to the Large Chair at the Entrance of the Center Contained a Bottle of Prescription Medication Which Posed a Hazard to the Children.**

290-2-3-.11

Oct 25, 2023 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **290-2-3-.13(2)(a) Requires That Outdoor Play Areas Be Kept Clean and Free of Hazards Such as Exposed Sharp Corners of Concrete or Equipment, Rust and Splinters on Equipment, Broken Glass, Open Drainage Ditches, Holes and Stagnant Water. It Was Determined Based on Observation That the White PVC Pipe Surrounding the Main Play Structure Was Busted and Had a Hole Posing a Hazard to the Children. There**

290-2-3-.13

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.