

## Creekstone Academy

95 Creekwood Trail  
Fayetteville, GA

### 2 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: May 8, 2026

#### ● 5 Important

Across 2 inspections since 2026, the issues cited most often were 591-1-1-.36(4)(f)1. Requires That All Transported Children Be Secured in a Child Passenger Restraining System or Seat Safety Belt in Accordance with Current State and Federal Laws and Regulations and According to Manufacturer's Directions. It Was Determined Based on Observations That One Seat Buckle Was Broken and Unattached From the Strap on the Multi-Functional School Activity Bus and All Seat S (2), 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observations That the Following Hazards Were Found in the Following Classroom's Cubby and Backpack That Were Accessible to Children: Room F Suite 400 (Backpack) - Infant's Pain and Fever Medication - Syringe - Cough Syrup - Ibuprofen (1), and 591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observations That Playground B Two Green Slides Over 5 Feet Resilient Surfacing Measured 2 Inches in Which 6 Inches Were Required. Additionally, Playgro (1). None of the 5 findings were critical.

### Inspection Visits

**May 8, 2026** 1 Finding ● 1 Important

- **591-1-1-.36(4)(f)1. Requires That All Transported Children Be Secured in a Child Passenger Restraining System or Seat Safety Belt in Accordance with Current State and Federal Laws and Regulations and According to Manufacturer's Directions. It Was Determined Based on Observations That One Seat Buckle Was Broken and Unattached From the Strap on the Multi-Functional School Activity Bus and All Seat S**  
591-1-1-.36

**Apr 23, 2026** 4 Findings ● 4 Important

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observations That the Following Hazards Were Found in the Following Classroom's Cubby and Backpack That Were Accessible to Children: Room F Suite 400 (Backpack) - Infant's Pain and Fever Medication - Syringe - Cough Syrup - Ibuprofen**  
591-1-1-.25

#### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observations That Playground B Two Green Slides Over 5 Feet Resilient Surfacing Measured 2 Inches in Which 6 Inches Were Required. Additionally, Playgro**

591-1-1-.26

- **Associated with Complaint 591-1-1-.32(7) Requires That Children Be Supervised at All Times Appropriate to the Individual Age, Needs and Capabilities of Each Child. Such Supervision Must Include, but Not Be Limited To, Indoor and Outdoor Activities, Mealtimes, Naptime, Transportation, Field Trips, and Transitions Between Activities. "Supervision" Means That the Appropriate Number of Staff Members A**

591-1-1-.32

- **Associated with Complaint 591-1-1-.36(4)(f)1. Requires That All Transported Children Be Secured in a Child Passenger Restraining System or Seat Safety Belt in Accordance with Current State and Federal Laws and Regulations and According to Manufacturer's Directions. It Was Determined Based on Observations That One Seat Buckle Was Broken and Unattached From the Strap on the Multi-Functional School A**

591-1-1-.36

#### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.