

Madison Academy

795 North Main Street
Madison, GA

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Feb 11, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Hazards Were Accessible to Children on This Date: Main A 2yrs • The Blue and White Cabinet Located on the Right Side of the Classroom Had an Open Package of Huggies Natural Care Baby Wipes Labeled "Keep (2), Playground Main A Infants/Infants Was Not in Use on This Date. The Director Stated That There Was an Underground Ant Issue That Was Currently Being Corrected. (2), and Proper Diapering Procedures Observed. Finding 591-1-1-.10(4) Requires That if Diapers Are Changed on a Diaper Changing Surface, the Surface Shall Be Smooth, Nonporous, and Equipped with a Guard or Rails to Prevent Falls. Between Each Diaper Change, the Diaper Changing Surface Shall Be Cleaned with a Disinfectant and Dried with a Single-use Disposable Towel. It Was Determined Based on Observation T (1). None of the 5 findings were critical.

Inspection Visits

Feb 11, 2026 3 Findings ● 3 Important

- **Proper Diapering Procedures Observed. Finding 591-1-1-.10(4) Requires That if Diapers Are Changed on a Diaper Changing Surface, the Surface Shall Be Smooth, Nonporous, and Equipped with a Guard or Rails to Prevent Falls. Between Each Diaper Change, the Diaper Changing Surface Shall Be Cleaned with a Disinfectant and Dried with a Single-use Disposable Towel. It Was Determined Based on Observation T**

591-1-1-.10

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Hazards Were Accessible to Children on This Date: Main A 2yrs • The Blue and White Cabinet Located on the Right Side of the Classroom Had an Open Package of Huggies Natural Care Baby Wipes Labeled "Keep**

591-1-1-.25

- **Playground Main A Infants/Infants Was Not in Use on This Date. The Director Stated That There Was an Underground Ant Issue That Was Currently Being Corrected.**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

Jul 7, 2025 2 Findings ● 2 Important

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation of the Entrance of the Back Building Room (E), That Exposed, Bricks, Chairs, and Other Debris Is Accessible to the Entrance to Playground C, and D.**

591-1-1-.25

- **Discussed Maintenance of Resilient Surface. Please Fluff and Redistribute. Technical Assistance 591-1-1-.26(4) - Consultant Discussed with the Director to Ensure the Fencing Is Secured at the Bottom.**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.