

McLendon Kimberly M.

95 Macedonia Church Road
Hawkinsville, GA

2 Inspection Visits Since 2023 - 5 Findings

Most recent inspection: Apr 15, 2024

● 5 Important

Across 2 inspections since 2023, the issues cited most often were 591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That the Resilient Surfacing Measured Between One and Two Inches in Areas Around the Yellow and Beige Climbing Equipment on Playground Front (2), A Current/completed Inspection Was Observed for All Vehicles Used in Transporting Children This Date. Comment Complete Documentation of Transportation Observed. Comment The Vehicle Had an Approved Fire Extinguisher and First Aid Kit on This Date. Finding 591-1-1-.36(4)(e) Requires Vehicle Seats to Be Securely Fastened to the Body of the Vehicle. It Was Determined Based on Observation That the Firs (1), and Director Provided Nine Files for Employees Hired Since Last Visit October 3, 2023. Finding 591-1-1-.09(1.) (b) Requires the Center to Ensure That Every Director Has a Valid and Current Satisfactory Comprehensive Records Check Determination on File Prior to Being Present at the Center While Any Child Is Present for Care or Before an Individual Age 17 or Older Resides in the Center. The Comprehensive (1). None of the 5 findings were critical.

Inspection Visits

Apr 15, 2024 4 Findings ● 4 Important

● **Director Provided Nine Files for Employees Hired Since Last Visit October 3, 2023. Finding 591-1-1-.09(1.) (b) Requires the Center to Ensure That Every Director Has a Valid and Current Satisfactory Comprehensive Records Check Determination on File Prior to Being Present at the Center While Any Child Is Present for Care or Before an Individual Age 17 or Older Resides in the Center. The Comprehensive**

591-1-1-.09

● **591-1-1-.14(2) Requires a Staff Member Who Is Trained in CPR and First Aid to Be on the Premises and on Any Field Trip Whenever Any Child Is Present. In Addition, Staff Who Provide Direct Care to Children Must Satisfactorily Obtain Certification in First Aid and CPR by December 29, 2016 if Employed Prior to September 30, 2016 and Within 90 Days of Their Hire Date if Employed After September 30, 20**

591-1-1-.14

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That the Resilient Surfacing Measured Between One and Two Inches in Areas Around the Yellow and Beige Climbing Equipment on Playground Front**

591-1-1-.26

- **A Current/completed Inspection Was Observed for All Vehicles Used in Transporting Children This Date. Comment Complete Documentation of Transportation Observed. Comment The Vehicle Had an Approved Fire Extinguisher and First Aid Kit on This Date. Finding 591-1-1-.36(4)(e) Requires Vehicle Seats to Be Securely Fastened to the Body of the Vehicle. It Was Determined Based on Observation That the Firs**

591-1-1-.36

Oct 3, 2023 1 Finding ● 1 Important

- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That More Resilient Surfacing Is Required Around Climbing Equipment, Playscapes, Slides, and Fall Zones on All Playgrounds. Consultant Also**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.