

Diallo Mariama D

1658 Christiana Drive
Lawrenceville, GA

3 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Mar 27, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were 290-2-3-.11(2)(c) Requires That Documentation of Drills Required by These Rules Shall Be Maintained in the Home. The Home Shall Conduct Drills for Fire, Tornado, and Other Emergency Situations. The Fire Drills Will Be Conducted Monthly and Tornado and Other Emergency Situation Drills Will Be Conducted Every Six Months. The Home Shall Maintain Documentation of the Dates and Times of These Drills Fo (2), 290-2-3-.19(1)(a)3 Requires That Each Crib and Other Equipment Approved for Infant Sleep Shall Have Only an Individual, Tight-fitting Sheet Which Is Changed Daily or More Often as Needed and Prior to a Change of Occupant. It Was Determined Based on Observation That Center Was Not Washing the Crib Sheet Daily. (1), and 290-2-3-.07(9)(b)1 Requires the Annual Ten (10) Clock Hours of Training Shall Include at Least Two (2) Hours in Evidence Based, Developmentally Appropriate Language and Literacy Practices. It Was Determined Based on Observation That the Provider Did Not Have 2 Hours of Language and Literacy Training for 2025. (1). None of the 5 findings were critical.

Inspection Visits

Mar 27, 2026 2 Findings ● 2 Important

● **290-2-3-.07(9)(b)1 Requires the Annual Ten (10) Clock Hours of Training Shall Include at Least Two (2) Hours in Evidence Based, Developmentally Appropriate Language and Literacy Practices. It Was Determined Based on Observation That the Provider Did Not Have 2 Hours of Language and Literacy Training for 2025.**

290-2-3-.07

● **290-2-3-.19(1)(a)3 Requires That Each Crib and Other Equipment Approved for Infant Sleep Shall Have Only an Individual, Tight-fitting Sheet Which Is Changed Daily or More Often as Needed and Prior to a Change of Occupant. It Was Determined Based on Observation That Center Was Not Washing the Crib Sheet Daily.**

290-2-3-.19

Feb 21, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **290-2-3-.11(2)(c) Requires That Documentation of Drills Required by These Rules Shall Be Maintained in the Home. The Home Shall Conduct Drills for Fire, Tornado, and Other Emergency Situations. The Fire Drills Will Be Conducted Monthly and Tornado and Other Emergency Situation Drills Will Be Conducted Every Six Months. The Home Shall Maintain Documentation of the Dates and Times of These Drills Fo**
290-2-3-.11

May 24, 2024 2 Findings ● 2 Important

- **290-2-3-.08(2) Requires the Home to Maintain a File for Each Child That Includes Evidence of Age-appropriate Immunizations or a Signed Affidavit Against Such Immunizations**
290-2-3-.08
- **290-2-3-.11(2)(c) Requires That Documentation of Drills Required by These Rules Shall Be Maintained in the Home. The Home Shall Conduct Drills for Fire, Tornado, and Other Emergency Situations. The Fire Drills Will Be Conducted Monthly and Tornado and Other Emergency Situation Drills Will Be Conducted Every Six Months. The Home Shall Maintain Documentation of the Dates and Times of These Drills Fo**
290-2-3-.11

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.