

## Heart's Ease Academy

1570 Bells Ferry Rd  
Marietta, GA

### 3 Inspection Visits Since 2023 - 5 Findings

Most recent inspection: Aug 26, 2024

● 5 Important

Across 3 inspections since 2023, the issues cited most often were 591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation the Mulch Measured 1 Inch When Three Inches Are Required in the Fall Zones of the Play Structure. (3), 591-1-1-.06(4) Requires a Center First Licensed After March 1, 1991, and Centers That Remodel or Add to Existing Plumbing Facilities, to Have the Bathroom Area Fully Enclosed and Ventilated to the Outside of the Building with Either an Open Screened Window or Functioning Exhaust Fan and Duct System and Requires Centers Without Fully Enclosed Bathrooms to Ensure There Is Adequate Ventilation to Con (1), and 591-1-1-.18(3) Requires Ventilation to Be Provided Either by Mechanical or Natural Means So as to Provide Fresh Air and Control of Unpleasant Odors in the Food Preparation Area. It Was Determined Based on Observation That There Was No Screen on the Kitchen Window Used for Ventilation. The Provider Was Offered Technical Assistance at the Previous Visit. (1). None of the 5 findings were critical.

### Inspection Visits

**Aug 26, 2024** 1 Finding ● 1 Important

- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation the Mulch Measured 1 Inch When Three Inches Are Required in the Fall Zones of the Play Structure.**

591-1-1-.26

#### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

**Jan 24, 2024** 1 Finding ● 1 Important

- **591-1-1-.26(9) Requires the Playground to Be Kept Clean, Free From Litter and Free of Hazards, Such as but Not Limited to Rocks, Exposed Tree Roots and Exposed Sharp Edges of Concrete. It Was Determined Based on the Consultant's Observation That the Playground on This Date Was Wet and Muddy. There Were Widespread Minor Tripping Hazards Because of the Uneven Red, Yellow, Blue and Green Concrete Wal**

591-1-1-.26

**Sep 6, 2023** 3 Findings ● 3 Important

- **591-1-1-.06(4) Requires a Center First Licensed After March 1, 1991, and Centers That Remodel or Add to Existing Plumbing Facilities, to Have the Bathroom Area Fully Enclosed and Ventilated to the Outside of the Building with Either an Open Screened Window or Functioning Exhaust Fan and Duct System and Requires Centers Without Fully Enclosed Bathrooms to Ensure There Is Adequate Ventilation to Con**

591-1-1-.06

- **591-1-1-.18(3) Requires Ventilation to Be Provided Either by Mechanical or Natural Means So as to Provide Fresh Air and Control of Unpleasant Odors in the Food Preparation Area. It Was Determined Based on Observation That There Was No Screen on the Kitchen Window Used for Ventilation. The Provider Was Offered Technical Assistance at the Previous Visit.**

591-1-1-.18

- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Measurements That the Resilient Surface in the Fall Zones of the Swings Measured Between Two and Three Inches, When at Least Six Inches Were Required. A**

591-1-1-.26

### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.