

## Children's Learning Adventure

13175 Cogburn Road  
Milton, GA

### 3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Aug 4, 2025

#### ● 5 Important

Across 3 inspections since 2024, the issues cited most often were Associated with Complaint 591-1-1-.17(2) Requires That Personnel, to the Extent Possible, Keep Children Clean, Dry and Comfortable. It Was Determined Based on an Investigation That at Pick Up Time on June 15, 2025 a 4-year-old Child Was Not Kept Clean, Dry and Comfortable When They Were Observed to Be Wearing Pull-ups, Pants and Shoes Which Were Heavily Soiled with Urine. (1), 591-1-1-.06(4) Requires a Center First Licensed After March 1, 1991, and Centers That Remodel or Add to Existing Plumbing Facilities, to Have the Bathroom Area Fully Enclosed and Ventilated to the Outside of the Building with Either an Open Screened Window or Functioning Exhaust Fan and Duct System and Requires Centers Without Fully Enclosed Bathrooms to Ensure There Is Adequate Ventilation to Con (1), and 591-1-1-.21(3) Requires That the Center Conduct Drills for Fire, Tornado and Other Emergency Situations. The Fire Drills Will Be Conducted Monthly and Tornado and Other Emergency Situation Drills Will Be Conducted Every Six Months. The Center Shall Maintain Documentation of the Dates and Times of These Drills for Two Years. It Was Determined Based on a Review of Records That the Fire Drills for Th (1). None of the 5 findings were critical.

### Inspection Visits

**Aug 4, 2025** 1 Finding ● 1 Important

- **Associated with Complaint 591-1-1-.17(2) Requires That Personnel, to the Extent Possible, Keep Children Clean, Dry and Comfortable. It Was Determined Based on an Investigation That at Pick Up Time on June 15, 2025 a 4-year-old Child Was Not Kept Clean, Dry and Comfortable When They Were Observed to Be Wearing Pull-ups, Pants and Shoes Which Were Heavily Soiled with Urine.**

591-1-1-.17

**Nov 6, 2024** 3 Findings ● 3 Important

- **591-1-1-.06(4) Requires a Center First Licensed After March 1, 1991, and Centers That Remodel or Add to Existing Plumbing Facilities, to Have the Bathroom Area Fully Enclosed and Ventilated to the Outside of the Building with Either an Open Screened Window or Functioning Exhaust Fan and Duct System and Requires Centers Without Fully Enclosed Bathrooms to Ensure There Is Adequate Ventilation to Con**

591-1-1-.06

#### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.21(3) Requires That the Center Conduct Drills for Fire, Tornado and Other Emergency Situations. The Fire Drills Will Be Conducted Monthly and Tornado and Other Emergency Situation Drills Will Be Conducted Every Six Months. The Center Shall Maintain Documentation of the Dates and Times of These Drills for Two Years. It Was Determined Based on a Review of Records That the Fire Drills for Th**

591-1-1-.21

- **591-1-1-.36(3)(a-b) Requires Any Center That Provides Any Type of Transportation to Obtain Two (2) Hours of State- Approved or State-accepted Transportation Training, Biannually, for the Director and for Each Person Responsible for or Who Participates in the Transportation of Children. The Training Shall Include, but Is Not Limited To, a Review of the Transportation Rules, a Review of Approved Tra**

591-1-1-.36

**Apr 25, 2024** 1 Finding ● 1 Important

- **591-1-1-.25(3) Requires the Center and Surrounding Premises to Be Kept Clean, Free of Debris and in Good Repair. Hygienic Measures Such As, but Not Limited To, Screened Windows and Proper Waste Disposal Procedures Shall Be Utilized to Minimize the Presence of Rodents, Flies, Roaches and Other Vermin at the Center. It Was Determined Based on Observation in Explorers 2 Classroom, the Bathroom Was Ob**

591-1-1-.25

#### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.