

Ly'Mir Academy

3805 Bloomfield Drive
Macon, GA

1 Inspection Visit Since 2026 - 5 Findings

Most recent inspection: Jan 9, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were The Consultant and the Director Discussed Posting Lesson Plans. (1), 591-1-1-.12(4) Requires That Equipment and Furniture Is Secured if It Is of a Weight or Mass That Could Cause Injury From Tipping, Falling, or Being Pulled or Pushed Over. It Was Determined Based on Observation That a Shelf in Room D Was Not Properly Secured and Posed a Tilting Hazard to Children in Care. Georgia Department of Early Care and Learning Revision Date: 1/16/2026 5:03:32 PM Page 1 of 6 (1), and 591-1-1-.06(4) Requires a Center First Licensed After March 1, 1991, and Centers That Remodel or Add to Existing Plumbing Facilities, to Have the Bathroom Area Fully Enclosed and Ventilated to the Outside of the Building with Either an Open Screened Window or Functioning Exhaust Fan and Duct System and Requires Centers Without Fully Enclosed Bathrooms to Ensure There Is Adequate Ventilation to Con (1). None of the 5 findings were critical.

Inspection Visits

Jan 9, 2026 5 Findings ● 5 Important

● **The Consultant and the Director Discussed Posting Lesson Plans.**

591-1-1-.03

● **591-1-1-.06(4) Requires a Center First Licensed After March 1, 1991, and Centers That Remodel or Add to Existing Plumbing Facilities, to Have the Bathroom Area Fully Enclosed and Ventilated to the Outside of the Building with Either an Open Screened Window or Functioning Exhaust Fan and Duct System and Requires Centers Without Fully Enclosed Bathrooms to Ensure There Is Adequate Ventilation to Con**

591-1-1-.06

● **591-1-1-.12(4) Requires That Equipment and Furniture Is Secured if It Is of a Weight or Mass That Could Cause Injury From Tipping, Falling, or Being Pulled or Pushed Over. It Was Determined Based on Observation That a Shelf in Room D Was Not Properly Secured and Posed a Tilting Hazard to Children in Care. Georgia Department of Early Care and Learning Revision Date: 1/16/2026 5:03:32 PM Page 1 of**

6

591-1-1-.12

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That Classrooms B and D Had Open Plastic Bags Filled with Trash on the Floor Accessible to Children. In Addition, Body Wash and Pigment Color Stating Adult Supervision Is Required Was Accessible to Children in Classroom B.**

591-1-1-.25

- **591-1-1-.26(9) Requires the Playground to Be Kept Clean, Free From Litter and Free of Hazards, Such as but Not Limited to Rocks, Exposed Tree Roots and Exposed Sharp Edges of Concrete. It Was Determined Based on Observation That the Preschool Playground Had a Plastic Bag Hanging From the Fence and Small Buckets of Rain Water. In Addition, the Toddler Playground Had a Sensory Table Filled with 4 In**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.