

## Hardin Alice T

513 NORTH BY-PASS

Washington, GA

### 2 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: May 11, 2026

#### ● 3 Important

Across 2 inspections since 2023, the issues cited most often were 290-2-3-.11(2)(f) Requires That Poisons, Medicines, Cleaning Agents and Other Hazardous Materials Be in Locked Areas or Inaccessible to Children. It Was Determined Based on Observation That the Following Potential Hazards Were Accessible to Children on This Date: Indoor Play Area -There Was an Unlocked Drawer with a Gray Plastic Grocery Bag and a Tube of Aquafor Cream Located at the Back Right Of (1), 290-2-3-.13(2)(a) Requires That Outdoor Play Areas Be Kept Clean and Free of Hazards Such as Exposed Sharp Corners of Concrete or Equipment, Rust and Splinters on Equipment, Broken Glass, Open Drainage Ditches, Holes and Stagnant Water. It Was Determined Based on Observation That There Were Three Active Ant Piles Located at the Back Left of the Outdoor Play Area. (1), and 290-2-3-.07(9) Requires That Every Calendar Year, After the First Year of Employment the Provider, and Any Provisional Employees or and Employees, Shall Attend Ten (10) Clock Hours of Diverse Training Which Is Task- Focused in On-going Health, Safety and Early Childhood or Child Development Related Topics and Which Is Offered by an Accredited College, University or Vocational Program or Other Depa (1). None of the 3 findings were critical.

### Inspection Visits

**May 11, 2026** 2 Findings ● 2 Important

- **290-2-3-.11(2)(f) Requires That Poisons, Medicines, Cleaning Agents and Other Hazardous Materials Be in Locked Areas or Inaccessible to Children. It Was Determined Based on Observation That the Following Potential Hazards Were Accessible to Children on This Date: Indoor Play Area -There Was an Unlocked Drawer with a Gray Plastic Grocery Bag and a Tube of Aquafor Cream Located at the Back Right Of**  
290-2-3-.11
- **290-2-3-.13(2)(a) Requires That Outdoor Play Areas Be Kept Clean and Free of Hazards Such as Exposed Sharp Corners of Concrete or Equipment, Rust and Splinters on Equipment, Broken Glass, Open Drainage Ditches, Holes and Stagnant Water. It Was Determined Based on Observation That There Were Three Active Ant Piles Located at the Back Left of the Outdoor Play Area.**  
290-2-3-.13

**Sep 20, 2023** 1 Finding ● 1 Important

#### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **290-2-3-.07(9) Requires That Every Calendar Year, After the First Year of Employment the Provider, and Any Provisional Employees or and Employees, Shall Attend Ten (10) Clock Hours of Diverse Training Which Is Task- Focused in On-going Health, Safety and Early Childhood or Child Development Related Topics and Which Is Offered by an Accredited College, University or Vocational Program or Other Depa**  
290-2-3-.07

#### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.