

Bradford Quinchetta

5390 Hearn Road
Ellenwood, GA

1 Inspection Visit Since 2025 · 1 Finding

Most recent inspection: Nov 13, 2025

● 1 Important

Across 1 inspection since 2025, the issues cited most often were 290-2-3-.13(2)(d) Requires That Outside Play Areas Be Protected From Traffic or Other Hazards by Fencing or Other Barriers at Least Four Feet in Height and Approved by the Department. Fencing Material Shall Not Present a Hazard to Children. A Fence Shall Be Provided Around Swimming Pools to Make Them Inaccessible When Not in Use. It Was Determined Based on Observation That the Outdoor Play Area Wa (1). The single finding was not critical.

Inspection Visits

Nov 13, 2025 1 Finding ● 1 Important

- **290-2-3-.13(2)(d) Requires That Outside Play Areas Be Protected From Traffic or Other Hazards by Fencing or Other Barriers at Least Four Feet in Height and Approved by the Department. Fencing Material Shall Not Present a Hazard to Children. A Fence Shall Be Provided Around Swimming Pools to Make Them Inaccessible When Not in Use. It Was Determined Based on Observation That the Outdoor Play Area Wa**

290-2-3-.13

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.