

## Goodson Smith Shantishia D

3512 CENTERVILLE ROSEBUD ROAD  
Snellville, GA

### 2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Apr 24, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Discussed Maintenance of Resilient Surface. Please Fluff and Redistribute. Finding 290-2-3-.13(2)(d) Requires That Outside Play Areas Be Protected From Traffic or Other Hazards by Fencing or Other Barriers at Least Four Feet in Height and Approved by the Department. Fencing Material Shall Not Present a Hazard to Children. It Was Determined Based on Observation the Barrier Surrounding the Playground (2), Discussed with the Provider to Add Toys and Materials to Enhance the Learning Environment. in the Area of Art, Manipulatives and Musical Instruments. Also Ensure All Toys Requiring Batteries Are Operable. Comment Toys and Equipment Observed to Be Clean and Safe From Hazardous Conditions. Comment Equipment and Furniture Observed to Be Properly Secured, as Applicable. Finding 290-2-3-.12(8) Requires (1), and Currently There Are No Children Enrolled in the Program. Finding 290-2-3-.19(1)(b) Requires That Cots and Mats Shall Be Provided for Each Child Who Is Two (2) Years of Age or Older and Who Is Required to Take a Nap and for Each Child Under the Age of Two Years Who Can Climb Out of a Crib or Other Equipment Approved for Infant Sleep. It Was Determined Based on Observation the Provider Lacked (5) Fi (1). None of the 5 findings were critical.

### Inspection Visits

**Apr 24, 2026** 1 Finding ● 1 Important

- **Discussed Maintenance of Resilient Surface. Please Fluff and Redistribute. Finding 290-2-3-.13(2)(d) Requires That Outside Play Areas Be Protected From Traffic or Other Hazards by Fencing or Other Barriers at Least Four Feet in Height and Approved by the Department. Fencing Material Shall Not Present a Hazard to Children. It Was Determined Based on Observation the Barrier Surrounding the Playground**

290-2-3-.13

**Oct 14, 2025** 4 Findings ● 4 Important

#### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **290-2-3-.11(2)(h) Requires at Least One UL Approved Smoke Detector to Be on Each Floor of the Home and Such Detectors to Be Maintained in Working Order. At Least One 2-A:10-B:C Fire Extinguisher Shall Be Kept in the Child Care Area to Be Located No More Than Thirty Feet From the Kitchen. The Extinguisher Shall Be Maintained in Working Order and Shall Be Inaccessible to the Children. It Was Determined**  
290-2-3-.11
- **Discussed with the Provider to Add Toys and Materials to Enhance the Learning Environment. in the Area of Art, Manipulatives and Musical Instruments. Also Ensure All Toys Requiring Batteries Are Operable. Comment Toys and Equipment Observed to Be Clean and Safe From Hazardous Conditions. Comment Equipment and Furniture Observed to Be Properly Secured, as Applicable. Finding 290-2-3-.12(8) Requires**  
290-2-3-.12
- **The Outside Area Appeared Clean and Well Maintained. The Route to the Playground Will Be Through the Basement. Finding 290-2-3-.13(2)(d) Requires That Outside Play Areas Be Protected From Traffic or Other Hazards by Fencing or Other Barriers at Least Four Feet in Height and Approved by the Department. Fencing Material Shall Not Present a Hazard to Children. It Was Determined Based on Observation T**  
290-2-3-.13
- **Currently There Are No Children Enrolled in the Program. Finding 290-2-3-.19(1)(b) Requires That Cots and Mats Shall Be Provided for Each Child Who Is Two (2) Years of Age or Older and Who Is Required to Take a Nap and for Each Child Under the Age of Two Years Who Can Climb Out of a Crib or Other Equipment Approved for Infant Sleep. It Was Determined Based on Observation the Provider Lacked (5) Fi**  
290-2-3-.19

### About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.