

ABC's for Tots

3312 Anvil Block Road
Ellenwood, GA

2 Inspection Visits Since 2025 · 4 Findings

Most recent inspection: Dec 17, 2025

● 4 Important

Across 2 inspections since 2025, the issues cited most often were 591-1-1-.19(1) Requires a Center to Provide 35 Square Feet of Usable Space per Child, Which Will Determine the Center's License Capacity. It Was Determined Based on Observations That Room D Had 13 Children with a Licensed Capacity of 12 Children. (2), 591-1-1-.33(4) Requires Within the First Year of Employment, the Director and Person with Primary Responsibility for Food Preparation Shall Have Four Clock Hours of Training in Food Nutrition Planning, Preparation, Serving, Proper Dish Washing and Food Storage. It Was Determined Based on a Review of Records That Staff #3 Who Was Primarily Responsible for Food Preparation Did Not Have Evidence of F (1), and 591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observations That 1 Inch of Mulch Was Measured in the Fall Zone of the 4 Feet Green Slide on the Main Playground and Not Six Inches as Required. Additio (1). None of the 4 findings were critical.

Inspection Visits

Dec 17, 2025 2 Findings ● 2 Important

- **591-1-1-.19(1) Requires a Center to Provide 35 Square Feet of Usable Space per Child, Which Will Determine the Center's License Capacity. It Was Determined Based on Observations That Room D Had 13 Children with a Licensed Capacity of 12 Children.**

591-1-1-.19

- **591-1-1-.33(4) Requires Within the First Year of Employment, the Director and Person with Primary Responsibility for Food Preparation Shall Have Four Clock Hours of Training in Food Nutrition Planning, Preparation, Serving, Proper Dish Washing and Food Storage. It Was Determined Based on a Review of Records That Staff #3 Who Was Primarily Responsible for Food Preparation Did Not Have Evidence of F**

591-1-1-.33

May 14, 2025 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.19(1) Requires a Center to Provide 35 Square Feet of Usable Space per Child, Which Will Determine the Center's License Capacity. It Was Determined Based on Observations That Room D Had 17 Children with a Licensed Capacity of 12 Children.**

591-1-1-.19

- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observations That 1 Inch of Mulch Was Measured in the Fall Zone of the 4 Feet Green Slide on the Main Playground and Not Six Inches as Required. Additio**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.