

Learning Adventures Preschool Academy

1216 20th St. NE
Cairo, GA

1 Inspection Visit Since 2026 · 4 Findings

Most recent inspection: Apr 8, 2026

● 4 Important

Across 1 inspection since 2026, the issues cited most often were 591-1-1-.25(3) Requires the Center and Surrounding Premises to Be Kept Clean, Free of Debris and in Good Repair. Hygienic Measures Such As, but Not Limited To, Screened Windows and Proper Waste Disposal Procedures Shall Be Utilized to Minimize the Presence of Rodents, Flies, Roaches and Other Vermin at the Center. It Was Determined Based on Observation That There Was a Hole in the Wall on the Left (1), 591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation the Grey Rock Climber Measured 7 Feet High. The Resilient Surface Depth Around the Rock Climber Measured 5 Inches Posing an Injury Hazard. (1), and 591-1-1-.21(1)(a-o) Requires the Center to Establish and Implement Written Policies and Procedures That Describe the Center's Operations as Follows: A) Services to Be Provided, Ages of Children Served, Days and Times of Operations and Days and Times Closed (1). None of the 4 findings were critical.

Inspection Visits

Apr 8, 2026 4 Findings ● 4 Important

- **591-1-1-.21(1)(a-o) Requires the Center to Establish and Implement Written Policies and Procedures That Describe the Center's Operations as Follows: A) Services to Be Provided, Ages of Children Served, Days and Times of Operations and Days and Times Closed**

591-1-1-.21

- **591-1-1-.25(3) Requires the Center and Surrounding Premises to Be Kept Clean, Free of Debris and in Good Repair. Hygienic Measures Such As, but Not Limited To, Screened Windows and Proper Waste Disposal Procedures Shall Be Utilized to Minimize the Presence of Rodents, Flies, Roaches and Other Vermin at the Center. It Was Determined Based on Observation That There Was a Hole in the Wall on the Left**

591-1-1-.25

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation the Grey Rock Climber Measured 7 Feet High. The Resilient Surface Depth Around the Rock Climber Measured 5 Inches Posing an Injury Hazard.**

591-1-1-.26

- **Previously Cited: 91-1-1-.33(5) Requires That Every Calendar Year After the First Year of Employment, All Supervisory and Caregiver Personnel, Except Independent Contractors, Students-in-Training and Volunteers Shall Attend Ten (10) Clock Hours of Diverse Training Which Is Task-focused in On-going Health, Safety and Early Childhood or Child Development Related Topics and Which Is Offered by an Acc**

591-1-1-.33

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.