

Discovery Point #27

5850 Bethelview Road
Cumming, GA

3 Inspection Visits Since 2025 · 4 Findings

Most recent inspection: May 21, 2026

● 4 Important

Across 3 inspections since 2025, the issues cited most often were 591-1-1-.36(4)(f)1. Requires That All Transported Children Be Secured in a Child Passenger Restraining System or Seat Safety Belt in Accordance with Current State and Federal Laws and Regulations and According to Manufacturer's Directions. It Was Determined Based on Observation That on Bus 1, Tag #PMT6305, the Safety Seat Belt Was Missing a Buckle on the First Seat on the Left Next to the Window. (1), 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That in Room E-2R, in the Boys Bathroom, There Was a Shelf That Contained, Baby Wipes, Triple Paste and Desitin and Was Accessible to Children on This Date. (1), and 591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe (1). None of the 4 findings were critical.

Inspection Visits

May 21, 2026 1 Finding ● 1 Important

- **591-1-1-.36(4)(f)1. Requires That All Transported Children Be Secured in a Child Passenger Restraining System or Seat Safety Belt in Accordance with Current State and Federal Laws and Regulations and According to Manufacturer's Directions. It Was Determined Based on Observation That on Bus 1, Tag #PMT6305, the Safety Seat Belt Was Missing a Buckle on the First Seat on the Left Next to the Window.**

591-1-1-.36

Nov 20, 2025 2 Findings ● 2 Important

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That in Room E-2R, in the Boys Bathroom, There Was a Shelf That Contained, Baby Wipes, Triple Paste and Desitin and Was Accessible to Children on This Date.**

591-1-1-.25

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe**
591-1-1-.26

Apr 2, 2025 1 Finding ● 1 Important

- **Associated with Complaint 591-1-1-.17(2) Requires That Personnel, to the Extent Possible, Keep Children Clean, Dry and Comfortable. It Was Determined Based on Investigative Findings That on December 4, 2025, a Two-year-old Child Was Not Clean, Dry and Comfortable When Their Diaper Was Twisted So That the Front Was Inside-out. It Was Further Determined That on an Unknown Date in January, the Two-ye**
591-1-1-.17

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.