

Building Youth Careers

990 Bear Creek Blvd Suite G
Hampton, GA

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jun 18, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined by Consultant's Observation the Following Hazards Were Accessible to Children. 2 Left Back - Private Pre-K Room -The Left Side Closet Door Was Open with a Gray Toaster, White Microwave, Broom and Dust Pan Were Accessible to Children. -The Righ (2), 591-1-1-.16(f) Requires the Center to Submit an Application for an Amended License at Least 30 Days Prior to a Change if There Is a Change in the Name of the Program or Center, Changes in the Ages of the Children to Be Served, an Increase in the Regular Hours of Operation Such That the Center Would Be Providing Evening or Night-time Care in Addition to Day-time Care, Changes in the Services Provid (1), and 591-1-1-.11(2) Requires That Personnel Not: Physically or Sexually Abuse a Child or Engage or Permit Others to Engage in Sexually Overt Conduct in the Presence of Any Child Enrolled in the Center (1). None of the 5 findings were critical.

Inspection Visits

Jun 18, 2025 4 Findings ● 4 Important

- **591-1-1-.11(2) Requires That Personnel Not: Physically or Sexually Abuse a Child or Engage or Permit Others to Engage in Sexually Overt Conduct in the Presence of Any Child Enrolled in the Center**
591-1-1-.11

- **591-1-1-.16(f) Requires the Center to Submit an Application for an Amended License at Least 30 Days Prior to a Change if There Is a Change in the Name of the Program or Center, Changes in the Ages of the Children to Be Served, an Increase in the Regular Hours of Operation Such That the Center Would Be Providing Evening or Night-time Care in Addition to Day-time Care, Changes in the Services Provid**
591-1-1-.16

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined by Consultant's Observation the Following Hazards Were Accessible to Children. 2 Left Back - Private Pre-K Room -The Left Side Closet Door Was Open with a Gray Toaster, White Microwave, Broom and Dust Pan Were Accessible to Children. -The Righ**
591-1-1-.25

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **Paperwork, Checklist, Permission Forms, Annual Inspection Form and Proper Check of the Vehicle After Transportation Were Discussed with the Director. Comment The Vehicle Had an Approved Fire Extinguisher and First Aid Kit on This Date. Finding 591-1-1-.36(7)(b) Requires That an Emergency Medical Information Record Be Maintained in the Vehicle for Each Child Being Transported. The Emergency Medical**
591-1-1-.36

Nov 4, 2024 1 Finding ● 1 Important

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined by Consultant's Observation the Following Hazards Were Accessible to Children. 2 Left Back - Private Pre-K Room -The Left Side Closet Door Was Open with a Gray Toaster, Hand Soap and Wipes Stating "Keep Out of Reach of Children" Were Accessibl**
591-1-1-.25

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.