

Little Miracles Loving Childcare

1820 Iola Dr
Valdosta, GA

2 Inspection Visits Since 2025 · 3 Findings

Most recent inspection: Sep 24, 2025

● 3 Important

Across 2 inspections since 2025, the issues cited most often were 591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That on Playground B, the Red Fire Truck and Yellow Bus Did Not Have Resilient Surfacing Extended Into the 4 Foot Fall Zone as Required by T (2) and 591-1-1-.12(4) Requires That Equipment and Furniture Is Secured if It Is of a Weight or Mass That Could Cause Injury From Tipping, Falling, or Being Pulled or Pushed Over. It Was Determined Based on Observation That in Classroom B a Tall Doll House Was Located in the Far Left Corner That Was of a Mass That Could Cause an Injury From Tipping Over. (1). None of the 3 findings were critical.

Inspection Visits

Sep 24, 2025 2 Findings ● 2 Important

- **591-1-1-.12(4) Requires That Equipment and Furniture Is Secured if It Is of a Weight or Mass That Could Cause Injury From Tipping, Falling, or Being Pulled or Pushed Over. It Was Determined Based on Observation That in Classroom B a Tall Doll House Was Located in the Far Left Corner That Was of a Mass That Could Cause an Injury From Tipping Over.**

591-1-1-.12

- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That on Playground B, the Red Fire Truck and Yellow Bus Did Not Have Resilient Surfacing Extended Into the 4 Foot Fall Zone as Required by T**

591-1-1-.26

Apr 28, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **The Department Requires That the Playground Be Adjacent to the Center or in an Area Which Can Be Reached by a Safe Route or Method Approved by the Department. It Was Determined Based on Observation That Playground Route for Classroom A Is Close to the Road and Crawl Space Located on the Left Side of Building Was Not Covered with Exposed Hazards Underneath. Please Ensure to Utilize the Supervision**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.