

Guardian Angels Learning Center

170 West Stephens Street
Camilla, GA

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Mar 24, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were 591-1-1-.19(1) Requires a Center to Provide 35 Square Feet of Usable Space per Child, Which Will Determine the Center's License Capacity. It Was Determined Based on Observation Room D Was Over Capacity by Two Children. The Capacity Is Eight and There Were 10 Children Present. (1), 591-1-1-.07(5) Requires Center Staff to Not Permit Children to Wear Around Their Necks or Attach to Their Clothing Pacifiers or Other Hazardous Items. It Was Determined Based on Observation in Room C There Were Two Infants with Pacifier Clips Attached to Their Clothing Posing a Strangulation Hazard. (1), and 591-1-1-.30(2)(c) Requires That Infants Shall Not Sleep in Equipment Other Than Safety-approved Cribs, Such As, but Not Limited To, a Car Safety Seat, Bouncy Seat, Highchair, or Swing. Infants Who Arrive at the Center Asleep or Fall Asleep in Such Equipment, on the Floor or Elsewhere, Shall Be Transferred to a Safety-approved Crib. It Was Determined Based on Observation in Room C There Was an Infa (1). None of the 5 findings were critical.

Inspection Visits

Mar 24, 2026 5 Findings ● 5 Important

- **591-1-1-.07(5) Requires Center Staff to Not Permit Children to Wear Around Their Necks or Attach to Their Clothing Pacifiers or Other Hazardous Items. It Was Determined Based on Observation in Room C There Were Two Infants with Pacifier Clips Attached to Their Clothing Posing a Strangulation Hazard.**

591-1-1-.07

- **591-1-1-.14(2)(b) Requires That There Must Always Be One Staff Person Present in Each Classroom Where Children Are Present That Has Current and Valid Pediatric Cardiopulmonary Resuscitation (CPR) and Pediatric First Aid Training. It Was Determined Based on a Review of Records in Room D the Staff Present Did Not Have Evidence of Current and Valid Pediatric Cardiopulmonary Resuscitation and Pediatr**

591-1-1-.14

- **591-1-1-.19(1) Requires a Center to Provide 35 Square Feet of Usable Space per Child, Which Will Determine the Center's License Capacity. It Was Determined Based on Observation Room D Was Over Capacity by Two Children. The Capacity Is Eight and There Were 10 Children Present.**

591-1-1-.19

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.24(1) Requires the Center to Maintain a Personnel File on the Director, All Employees, Provisional Employees, Personnel, Staff, Students-in-Training, Volunteers, Clerical, Housekeeping, Maintenance, and Other Support Staff for the Duration of the Term of Employment Plus One Calendar Year, and It Shall Contain the Following: Identifying Information to Include: Name, Date of Birth, Social S**

591-1-1-.24

- **591-1-1-.30(2)(c) Requires That Infants Shall Not Sleep in Equipment Other Than Safety-approved Cribs, Such As, but Not Limited To, a Car Safety Seat, Bouncy Seat, Highchair, or Swing. Infants Who Arrive at the Center Asleep or Fall Asleep in Such Equipment, on the Floor or Elsewhere, Shall Be Transferred to a Safety-approved Crib. It Was Determined Based on Observation in Room C There Was an Infa**

591-1-1-.30

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.